

ISO 9001
BUREAU VERITAS
Certification



قسم المعدات الثقيلة HEAVY EQUIPMENT DIVISION



www.mister-machine.com

EQUIPMENT DIVISIONS (BAHRAIN)**ACCESS PLATFORMS**

- Articulated Boom Lifts/ Man Lifts
- Telescopic Boom Lifts/ Man Lifts
- Scissor Lifts (Diesel/ Battery)

FORKLIFTS

- Forklifts (Diesel/ Battery/ LPG)
- Reach Trucks
- Telescopic Handlers (Loadall)

FORMWORKS AND SCAFFOLDING

- Modular Formworks
- H-Beams (Wooden Girders)
- Circular Column Formworks
- Scaffolding Sets, and Jacks (Props)
- Proof Tested Scaffold Boards

GENERATORS AND COMPRESSORS

- Generators (1 Phase/ 3 Phase)
- Air Compressors (Diesel/ Electric)
- Portable Fuel Tanks
- Lighting Towers

HEAVY EQUIPMENT

- Compaction Rollers
- Cranes, Truck Cranes
- Earth Moving Equipment
- Trucks and Trailers
- Tankers

LIGHT EQUIPMENT

- Cleaning and Cutting Equipment
- Electric Power Tools
- Fixing Tools
- Ladders and Lifting Equipment
- Compactor Plates and Concrete Vibrators
- Painting and Decorating Equipment
- Plumbing Equipment
- Rebar Bending and Cutting Equipment
- Water Pumps and Welding Equipment

PORTABLE CABINS

- Portable Cabins, Guard Rooms
- Portable Toilets

RAW MATERIALS

- Sale of Desert Fill, Stones, Sand, and Aggregates

SKIPS

- Skip Bins/ Dumpsters
- Skip Loader Trucks
- Refuse Compactor Truck

TRANSPORTATION AND LOGISTICS

- Transport of Equipment, and General Cargo
- Transport of Raw Materials

QUALITY USED EQUIPMENT

- Sale of Used Power Tools, Generators, Compressors, Forklifts, Heavy Equipment, Skips, etc.

أقسام المعدات (البحرين)**الرافعات الشخصية المتنقلة**

- رافعات سلة مفصليّة
- رافعات سلة تلسكوبية
- الرافعات المقصية (ديزل/ بطارية)

الرافعات الشوكية

- الرافعات الشوكية (ديزل، بطارية، غاز)
- رفعات المخازن الشوكية
- رافعات المناولة التلسكوبية

قوالب الخرسانة والسقالات

- قوالب المقاسات المتعددة
- دعائم الأسقف الخشبية
- القوالب الدائرية
- أطقم السقالات والدعائم الثابتة
- ألواح/ دوسات خشبية

المولدات والضغوطات

- مولدات كهربائية ١ فيز، ٣ فيز
- ضاغطات الهواء "كمبريسرات"
- خزانات ديزل متنقلة
- أبراج اللانارة

المعدات الثقيلة

- حادلات التربة
- الرافعات المتنقلة
- معدات الحفر والنقل الثقيلة
- القاطرات والمقطورات
- الصهاريج

المعدات الخفيفة

- معدات التنظيف، معدات التقطيع
- المعدات الكهربائية
- أدوات التوصيل
- السلالم - معدات الرفع
- المعدات الداكة وهزازة الكونكريت
- معدات الصباغة والديكور
- معدات السباكة
- معدات تقويس وتقطيع حديد التسليح
- مضخات المياه - معدات اللحام

الكبائن متنقلة

- كبائن متنقلة، كبائن الحراس
- مراحيض متنقلة

المواد الخام

- بيع الدفان البري، الصخور، الرمل، الكونكريت

حاويات المخلفات


- حاويات المخلفات
- شاحنات نقل الحاويات
- شاحنات كبس المخلفات

النقل والخدمات اللوجستية

- نقل المعدات الثقيلة، وجميع أنواع البضائع
- نقل الدفان البري

بيع المعدات المستعملة الممتازة

- بيع معدات كهربائية، رافعات شخصية، مولدات كهرباء، كمبريسرات، رافعات شوكية، معدات ثقيلة، حاويات الأنقاض، إلخ





Heavy Equipments

+973 1770 8177, 1770 5052

24 Hours Maintenance

3656 6113

www.mister-machine.com

Contact Details (Bahrain)

2

Location Map

3

Compaction Rollers

- Double Drum Walk Behind Rollers 4
- Tandem (Double Drum) Ride On Rollers 5
- Heavy Soil Compactor Rollers 6

Cranes

- Mobile Hydraulic Cranes 7
- Truck Mounted Cranes 8
- Telescopic Truck Cranes 12
- Telescopic Tractor Head Cranes 24

Earthmoving Equipment

- Backhoe Loaders / Excavators 26
- Skid Steer Loaders (Bobcats) 27
- Bulldozers 28
- Motor Grader 29
- Tracked Heavy Excavators 30
- Tracked Mini Excavators 31
- Wheeled Loaders (Shovels) 32

Tankers

- Fuel Tanker 34
- Water Tanker 36

Trucks & Trailers

- Dump Trucks 37
- Cargo Truck 39
- Trailers 43



KINGDOM OF BAHRAIN

CONTACT DETAILS

ACCESS PLATFORMS

+973-17708177, 17705052

FORKLIFTS

+973-17708177, 17708170

GENERATORS AND COMPRESSORS

+973-17708160, 17705059

HEAVY EQUIPMENT

+973-17708177, 17705052

LIGHT EQUIPMENT

+973-17705058

FORMWORK AND SCAFFOLDING

+973-17708168

PORTABLE CABINS

+973-17708168

RAW MATERIALS

+973-17705085, 17708173

SKIPS

+973-17705061, 39797404

TRANSPORTATION AND LOGISTICS

+973-17705069

QUALITY USED EQUIPMENT FOR SALE

+973-39757554, 17708173, +966 55 8884575

مملكة البحرين

بيانات الاتصال

الرافعات الشخصية المتنقلة

+٩٧٣ ١٧٧٠٨١٧٧, ١٧٧٠٥٠٥٢

الرافعات الشوكية

+٩٧٣ ١٧٧٠٨١٧٧, ١٧٧٠٨١٧٠

المولدات الكهربائية والضواغط

+٩٧٣ ١٧٧٠٨١٦٠, ١٧٧٠٥٠٥٩

المعدات الثقيلة

+٩٧٣ ١٧٧٠٨١٧٧, ١٧٧٠٥٠٥٢

المعدات الخفيفة

+٩٧٣ ١٧٧٠٥٠٥٨

القوالب والسقالات

+٩٧٣ ١٧٧ ٠٨١٦٨

كباين متنقلة

+٩٧٣ ١٧٧٠٨١٦٨

المواد الخام

+٩٧٣ ١٧٧٠٥٠٨٥, ١٧٧٠٨١٧٣

حاويات الأنقاض

+٩٧٣ ١٧٧ ٠٥٠٦١ - ٣٩٧٩ ٧٤٠٤

النقلات والخدمات اللوجستية

+٩٧٣ ١٧٧٠٥٠٦٩

بيع المعدات المستعملة الممتازة

+٩٧٣ ٣٩٧٥٧٥٥٤, ١٧٧٠٨١٧٣, +٩٦٦ ٥٥ ٨٨٨٤٥٧٥



BAHRAIN BRANCHES

Ma'ameer

Tel: +973 17708160, 17708168, 17705059

Location: Bldg. 541, Rd.3417 Blk. 634, Maameer Industrial Area

GPS Map: 26.1267, 50.6050

Manama

Tel: +973 17240166

Location: Shop 313, R. 336, Bll. 311, Manama


GPS Map: 26.2226, 50.5711

Ras Zuwayed

Tel: +973 17705070, +973 17708177

Location: Bldg. 49, Ave. 52, Blk. 952, Ras Zuwayed

GPS Map: 26.0792, 50.6238



حادلات التربة Compaction Rollers



Double Drum Walk Behind Rollers

حادلة متوسطة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Compaction and Vibratory Equipment, All our Equipment are the latest models.
- **SELECTION:** The biggest Equipment hirer in Bahrain.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Equipment Name	Double Drum Roller-Diesel: 730kg, 2400kgf "2.5Ton"	Double Drum Roller-Diesel: 950kg, 2500kgf "3.0Ton"
Drum Size	Diameter: 406mm Width: 650mm	Diameter: 457mm Width: 700mm
Overall Length	2,670mm	2,840mm
Overall Width	692mm	795mm
Overall Height	1,170mm	1,120mm
Maximum Travel Speed	3km/h	3km/h
Vibrating Frequency	3,300V.P.M	3,000V.P.M
Centrifugal force	2,400kgf	3,000kgf
Gradeability	30%	25%
Oil Tank Capacity		15 Liters
Water Tank Capacity	40 Liters	23 Liters

NOTES:

If the Vibrator Shaft Diameter used is too large, wooden form-work may collapse & if too small then correct concrete vibration will not be achieved. It is important to order the correct shaft.



For Inquiries Call us on: **+973 1770 8177, 1770 8170** or email us on: sales@mister-machine.com

حادلات التربة Compaction Rollers



Tandem (Double Drum) Ride On Rollers

حادلة متوسطة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Compaction and Vibratory Equipment, All our Equipment are the latest models.
- **SELECTION:** The biggest Equipment hirer in Bahrain.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Equipment Name	Tandem Vibratory Roller-Diesel: 2500kg, 2700kgf
Operating Weight	2,600 kg
Weight at Front Drum	1,210 kg
Weight at Rear Drum	1,290 kg
Overall Length	2,500 mm
Overall Width	1,100 mm
Overall Height	2,680 mm
Maximum Travel Speed	10.5 km/h
Gross Power	24.6 kw (33 hp)
Fuel Tank Capacity	56 L
COMPACTION	
Compaction width	1,000 mm
Static Linear Load Front / Rear	12.5 kg/cm
Nominal Amplitude	0.5 mm
Vibration frequency (Hz)	63 / 55 Hz
Centrifugal Force per Drum	27.6 kN
Water (Spray) Tank	160 L
Compaction Roller Usage	Used for the compaction of medium sized sand, gravel and non-cohesive soils. It is also used for medium sized asphalt jobs.

حادلات التربة Compaction Rollers



Heavy Soil Compactor Rollers

حادلة ثقيلة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Compaction and Vibratory Equipment, All our Equipment are the latest models.
- **SELECTION:** The biggest Equipment hirer in Bahrain.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Equipment Name		Vibratory Soil Roller-Diesel 10,800kg 25 Tons
Operating Weight		10,800 kg
Overall Length		5,550 mm
Overall Width		2,384 mm
Travel Height		2,952 mm
Maximum Travel Speed		7.5 km/h
Gross Power		82 kw (110 hp)
Fuel Tank Capacity		250 L
Gross Power		21 kw (28 hp)
COMPACTION		
Static Linear Load		28.2 kg/cm
Nominal Amplitude	High	1.7 mm
	Low	0.8 mm
Vibration Frequency (Hz)		33
Centrifugal Force (kN)	High Amplitude	246 kN
	Low Amplitude	119 kN
Drum Mass		6,000 kg
Drum Width		2,384 mm
Usage	Used for the compaction of all types of soil.	

IMPORTANT NOTES:

- Compaction is used to increase the density of materials by two methods:
 1. Static force.
 2. Vibratory (dynamic force)
- Compaction costs approx. 4% of the total construction cost. It is very important for the quality of the finished structures. It is often ignored which results in cracks & high maintenance costs.
- Compaction depends of the type of soil, moisture (water content), the compaction method & the performance of the compaction / vibration equipment.



For Inquiries Call us on: **+973 1770 8177, 1770 8170** or email us on: **sales@mister-machine.com**



Mobile Hydraulic Crane

الرافعات الهيدروليكية المتنقلة

CRANE GENERAL DATA

Crane Capacity		60,000 kg at 3.0 m, Reach 43 m	
Crane Maker & Model		Tadano GT-600EX	
Crane Type		Hydraulic Truck Crane	
Overall Length		13 ,170 mm	
Overall Width		2,820 mm	
Overall Height (Crane Folded)		3,730 mm	
Gross Vehicle	Weight	41,500 kg	
	Front	16,000 kg	
	Rear	25,500 kg	
Additional Counterweight		NIL	
Maximum Traveling Speed		84 km/h	
Vehicle Turning Radius		11.3 m	
Fuel Tank Capacity		300 litres	

CRANE LIFTING CAPACITIES

Boom Fully Extended Length	43.0 m
Outriggers Fully Extended Length	6,800 mm
Rated lifting capacities at different radius lengths when the Outriggers are fully extended.	60,000 kg at 3.0 m
	28,700 kg at 6.0 m
	16,2800 kg at 9.0 m
	6,500 kg at 12.0 m
	3,000 kg at 16.0 m
	4,400 kg at 20.0 m
	3,000 kg at 24.0 m
	1,700 kg at 30.0 m
	800 kg at 34.0 m
	600 kg at 36.0 m
First Jib Length & Max Lifting Capacity	8.8 m 4,000 kg
Second Jib Length & Max Lifting Capacity	15.2 m 2, 600 kg
Certification Company	RICI / TUV / Bureau Veritas

For the 80 Ton Crane, the counterweights must also be fully installed.

Note: The 80 Ton Crane is not designed to travel with all the counterweights installed.

الرافعات Cranes



Truck Mounted Cranes (HIAB): 4 Tons		الرافعات المثبتة على الشاحنات
Truck Mounted Crane Name	4 Tons	
Lifting Capacity (Load Moment)	7.7 ton-m	
Overall Length	8,500 mm	
Overall Width	2,500 mm	
Overall Travel Height (Crane Folded)	3,100 mm	
Gross Vehicle Weight	11,000 kg	
Unladen Weight	4,530 kg	
Payload	6,000 kg	
TRUCK CAPACITY		
Cargo Bay Length	5,000 mm	
Cargo Bay Width	2,340 mm	
Cargo Bay Height	400 mm	
CRANE CAPACITY (THESE CRANES ARE OF THE FULLY FOLDED TYPE.)		
Maximum lifting capacities with hydraulic boom extensions when the outriggers are fully extended.	3,650 kg at 2.0 m	
	3,295 kg at 2.25 m	
	2,030 kg at 3.8 m	
	1,370 kg at 5.5 m	
	1,010 kg at 7.25 m	
Certification Company	RICI / TUV / Bureau Veritas	

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- All our trucks are fitted with drop sides for the safety of the transported cargo.



For Inquiries Call us on: **+973 1770 8177, 1770 8170** or email us on: **sales@mister-machine.com**



Truck Mounted Cranes (HIAB:) 6, 7.5 Tons

الرافعات المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes.
All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Truck Mounted Crane Name	6 Tons	7.5 Tons
Lifting Capacity (Load Moment)	13.4 ton-m	15.3 ton-m
Semitrailer Overall Length	9,300 mm	9,300 mm
Overall Width	2,600 mm	2,600 mm
Overall Height (Crane Folded)	3,500 mm	3,500 mm
Gross Semitrailer Weight	18,000 kg	18,000 kg
Unladen Weight	9,900 kg	10,400 kg
Payload	8,100 kg	7,600 kg
TRUCK CAPACITY		
Cargo Bay Length	6,100 mm	6,100mm
Cargo Bay Width	2,450 mm	2,450mm
Cargo Bay Height	750 mm	750 mm
CRANE CAPACITY (THESE CRANES ARE OF THE FULLY FOLDED TYPE.)		
Maximum lifting capacities with hydraulic boom extensions when the outriggers are fully extended.	4,300 kg at 3.1 m	4,900 kg at 3.1 m
	2,900 kg at 4.5 m	3,400 kg at 4.5 m
	2,000 kg at 6.3 m	2,300 kg at 6.3 m
	1,540 kg at 8.2 m	1,760 kg at 8.2 m
	1,200 kg at 10.1 m	1,380 kg at 10.3 m
Certification Company	RICI / TUV / Bureau Veritas	RICI / TUV / Bureau Veritas

الرافعات Cranes



Truck Mounted Cranes (HIAB): 10, 12 Tons		الرافعات المثبتة على الشاحنات
Truck Mounted Crane Name	10 Tons	12 Tons
Lifting Capacity (Load Moment)	20.7 ton-m	24.2 ton-m
Semitrailer Overall Length	10,300 mm	10,300 mm
Overall Width	2,550 mm	2,550 mm
Overall Height (Crane Folded)	3,650 mm	3,650 mm
Gross Semitrailer Weight	28,500 kg	33,000 kg
Unladen Weight	15,700 kg	15,700 kg
Payload	14,300 kg	14,300 kg
TRUCK CAPACITY		
Cargo Bay Length	6,450 mm	6,500 mm
Cargo Bay Width	2,300 mm	2,450 mm
Cargo Bay Height		600 mm
CRANE CAPACITY (THESE CRANES ARE OF THE FULLY FOLDED TYPE.)		
Boom fully extended length	6,450 mm	6,500 mm
Outriggers fully extended length	2,300 mm	2,450 mm
Maximum lifting capacities with hydraulic boom extensions when the outriggers are fully extended.	8,400 kg at 2.4 m	9,300 kg at 2.5 m
	4,700 kg at 4.4 m	5,500 kg at 4.4 m
	3,250 kg at 6.1 m	3,850 kg at 6.1 m
	2,380 kg at 8.1 m	2,800 kg at 8.1 m
	1,820 kg at 10.3 m	2,160 kg at 10.3 m
	1,460 kg at 12.6 m	1,760 kg at 12.6 m
Certification Company	RICI / TUV / Bureau Veritas	RICI / TUV / Bureau Veritas





Semitrailer With Cranes: 12 Tons (Block HIAB)

الرافعات المثبتة على نصف المقطورات

Equipment Name	12 Tons
Lifting Capacity (Load Moment)	24.2 ton-m
Semitrailer Overall Length	13,300 mm
Overall Width	2,500 mm
Overall Height (Crane Folded)	3,650 mm
Gross Semitrailer Weight	40,000kg
Unladen Weight	15,000 kg
Payload	25,000 kg
TRUCK CAPACITY	
Cargo Bay Length	12,230 mm
Cargo Bay Width	2,400 mm
Cargo Bay Height	1,000 mm
CRANE CAPACITY (THESE CRANES ARE OF THE FULLY FOLDED TYPE.)	
Boom Fully Extended Length	19m
Maximum lifting capacities with hydraulic boom extensions when the outriggers are fully extended.	3,000 kg at 6.4 m
	1,940 kg at 10.2 m
	1,450 kg at 12.8 m
	1,140 kg at 15.5 m

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- All our trucks are fitted with drop sides for the safety of the transported cargo.

Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 3 Tons, Reach 7.6m, GVW 6.5Tons	Telescopic Truck Crane 3Ton, Reach 9.8m, GVW 8.5Ton
Overall length	7,100 mm	7,800 mm
Overall width	2,160 mm	2,160 mm
Overall Travel height	2,700 mm	2,700 mm
Gross Vehicle weight	6,500 kg	8,500 kg
Unlade weight	3,500 kg	3,800 kg
Payload	3,000 kg	4,700 kg
TRUCK DIMENSIONS		
Cargo bay length	4,350 mm	5,000 mm
Cargo bay width	2,070 mm	2,070 mm
Cargo bay height	380 mm	380 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)		
Maximum horizontal reach	6.6 m	8.9 m
Maximum lifting height	7.6 m	9.8 m
Outriggers extended width	3.4 m	3.4 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	3,030 kg at 1.6 m	3,030 kg at 1.6 m
	2,280 kg at 2.0 m	2,280 kg at 2.0 m
	1,480 kg at 3.0 m	1,480 kg at 3.0 m
	1,080 kg at 4.0 m	1,080 kg at 4.0 m
	780 kg at 5.0 m	780 kg at 5.0 m
	630 kg at 6.0 m	630 kg at 6.0 m
	580 kg at 6.4 m	430 kg at 7.0 m
		330 kg at 8.7 m
CERTIFICATION		
Certification Co.	RICI / TUV / Bureau Veritas	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 6 Tons, Reach 11.4m, GVW 18Tons
Lifting Capacity (Load Moment)	14.0 ton-m
Overall length	10,300 mm
Overall width	2,600 mm
Overall Travel height	3,700 mm
Gross Vehicle weight	18,000kg
Unlade weight	10,000 kg
Payload	8,000 kg
TRUCK DIMENSIONS	
Cargo bay length	6,170 mm
Cargo bay width	2,400 mm
Cargo bay height	500 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	11.4 m
Maximum lifting height	13.7 m
Outriggers extended width	Front: 5.7 m, Rear: 4.4 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	6,000 kg at 2.0 m
	4,500 kg at 3.0 m
	3,500 kg at 4.0 m
	2,200 kg at 6.0 m
	1,500 kg at 8.0 m
	1,000 kg at 10.0 m
	950 kg at 11.4 m
	330 kg at 8.7 m
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 10 Tons, Reach 19.6m, GVW 28Tons
Lifting Capacity (Load Moment)	31.5 ton-m
Overall length	10,300 mm
Overall width	2,550 mm
Overall Travel height	3,650 mm
Gross Vehicle weight	28,500 kg
Unlade weight	17,000 kg
Payload	11,000 kg
TRUCK DIMENSIONS	
Cargo bay length	6,350 mm
Cargo bay width	2,400 mm
Cargo bay height	500 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	19.6 m
Maximum lifting height	21.0 m
Outriggers extended width	Front: 6.4 m, Rear: 4.5 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	10,000 kg at 2.0 m
	8,070 kg at 3.11 m
	6,280 kg at 5.03 m
	3,170 kg at 8.72 m
	2,150 kg at 12.32 m
	1,550 kg at 15.92 m
	1,200 kg at 19.6 m
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 10 Tons, Reach 19.6m, GVW 33Tons
Lifting Capacity (Load Moment)	31.5 ton-m
Overall length	10,300 mm
Overall width	2,550 mm
Overall Travel height	3,650 mm
Gross Vehicle weight	33,000 kg
Unlade weight	17,000 kg
Payload	16,000 kg
TRUCK DIMENSIONS	
Cargo bay length	6,500 mm
Cargo bay width	2,350 mm
Cargo bay height	600 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	19.6 m
Maximum lifting height	21.0 m
Outriggers extended width	Front: 6.4 m, Rear: 4.5 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	10,000 kg at 2.0 m
	8,070 kg at 3.11 m
	6,280 kg at 5.03 m
	3,170 kg at 8.72 m
	2,150 kg at 12.32 m
	1,550 kg at 15.92 m
	1,200 kg at 19.6 m
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 15 Tons, Reach 25.3m, GVW 44Tons
Lifting Capacity (Load Moment)	45,000 kg.m
Overall length	10,700 mm
Overall width	2,600 mm
Overall Travel height	3,980 mm
Gross Vehicle weight	44,000 kg
Unlade weight	21,000 kg
Payload	23,000 kg
TRUCK DIMENSIONS	
Cargo bay length	7,000 mm
Cargo bay width	2,420 mm
Cargo bay height	500 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	25.3 m
Maximum lifting height	27.5 m
Outriggers extended width	7.0 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	15,000 kg at 2.0 m
	10,000 kg at 3.0 m
	7,500 kg at 6.0 m
	4,150 kg at 9.0 m
	2,850 kg at 12.0 m
	2,150 kg at 15.0 m
	1,700 kg at 18.0 m
	1,400 kg at 21.0 m
	1,000 kg at 25.3 m
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Truck Cranes

الرافعات التلسكوبية المثبتة على الشاحنات

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Telescopic Truck Crane 20 Tons, Reach 30.5m, GVW 44Tons
Lifting Capacity (Load Moment)	70,000 kg.m
Overall length	12,500 mm
Overall width	2,600 mm
Overall Travel height	4,000 mm
Gross Vehicle weight	44,000 kg
Unlade weight	21,000 kg
Payload	23,000 kg
TRUCK DIMENSIONS	
Cargo bay length	8,000 mm
Cargo bay width	2,420 mm
Cargo bay height	600 mm
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	30.5 m
Maximum lifting height	34.0 m
Outriggers extended width	Front: 7.9 m, Rear: 5.43 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	20,000 kg at 2.0 m
	16,800 kg at 3.0 m
	8,918 kg at 7.3 m
	4,702 kg at 12.0 m
	2,960 kg at 16.6 m
	2,189 kg at 21.2 m
	1,685 kg at 25.9 m
	1,300 kg at 30.5 m
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks & Cranes are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- Our trucks are fitted with Drop sides for the safety of the transported Cargos.





Telescopic Tractor Head Cranes

الرافعات التلسكوبية المثبتة على رأس تربية

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Cranes at Competitive Hire Rates. All our Cranes are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **TELESCOPIC TRUCK CRANES:** Give you the lifting capacity you need to safely and quickly transport heavy loads between different job sites without the need for additional trucks. They offer exceptional working radius and lifting height.

Equipment Name	Tractor Head Telescopic Crane 10 Tons, Reach 17.6m, GVW 33Tons
Lifting Capacity (Load Moment)	29.0 ton-m
Overall length (Tractor Head)	7,600 mm
Overall width	2,500 mm
Overall Travel height	3,850 mm
Gross Vehicle weight	33,000 kg
Unlade weight	12,500 kg
CRANE CAPACITY (STRAIGHT BOOM TYPE)	
Maximum horizontal reach	17.6 m
Maximum lifting height	20.8 m
Outriggers extended width	Front: 6.2 m, Rear: 5.36 m
Maximum Lifting Capacities with the Hydraulic Boom Extensions when the Outriggers are fully extended.	10,000 kg at 3.0 m
	5,600 kg at 5.0 m
	3,250 kg at 8.2 m
	2,350 kg at 11.3 m
	1,700 kg at 14.5 m
	1,100 kg at 17.6 m
ATTACHMENT: SEMITRAILER FLAT-DECK: 40TONS, 12.3X 2.5M	
Semitrailer Flat-Deck length	12,300 mm
Semitrailer Flat-Deck width	2,500 mm
Overall length (Tractor Head+ Semitrailer)	17,000 mm
Semitrailer Pay Load	40,000 kg
CERTIFICATION	
Certification Co.	RICI / TUV / Bureau Veritas

NOTES:

- Our Trucks, Cranes and Semitrailers are built to meet the highest standards of safety and reliability and are in excellent working conditions.
- The Telescopic Tractor Head Cranes may also be hired with: Semitrailer-Wire-Mesh: 35Tons, 13.6x 2.5m, H:1.2m





معدات الحفر والنقل Earthmoving Equipment



Backhoe Excavator / Loader

الغرافة الحفارة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Backhoe Loaders. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Backhoe Excavator Type	Standard Backhoe (3CX)	Small Backhoe (1CX)
Total Travel Length	5,620 mm	3,400 mm
Overall Width	2,350 mm	1,580 mm
Travel Height	3,530 mm	2,210 mm
Operational Weight	7,370 kg	2,790 kg
Maximum Travel Speed	36 km/h	km/h
Backhoe Maximum Dig Depth	4,240 mm	2,550 mm
Gross Power	67.5kW (90 hp)	37.3kW (50 hp)
Fuel Tank Capacity	160 Ltr.	45 Ltr.
FRONT SHOVEL		
Front Shovel Capacity	1.1 cu.meters	0.28 cu.meters
Front Shovel Width	2,350 mm	1,580 mm
Dumping Height (50 Degree Dump)	4,240 mm	2,100 mm
BACKHOE (CHOICE OF 4 BACKHOE BUCKETS ARE AVAILABLE.)		
Very Narrow Bucket	305 mm / 0.06 m3	
Narrow Bucket	400 mm / 0.09 m3	400 mm / 0.09 m3
Standard Bucket	610 mm / 0.17 m3	
Wide Bucket	800 mm / 0.24 m3	
EXTRA ATTACHMENT - BACKHOE ROCK-BREAKER		
Working Weight	410 kg	N/A

NOTES:

- Most of our backhoe Loaders are fitted with turbo engines, smooth ride systems to improve performance.
- All our Backhoes are fitted with air-conditioning to improve the operator comfort and work output.



معدات الحفر والنقل Earthmoving Equipment



Skid Steer Loader (Bobcat)

غرافة محورية

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Skid Steer Loaders. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Skid Steer Loader (Bobcat)	Standard Bobcat
Overall Length	3105 mm
Overall Width	1398 mm
Overall Height (With Bucket Lowered)	1930 mm
Overall Height (With Bucket Raised)	3535 mm
Dump Height	2148 mm
Loadover Height	2771 mm
Operating Weight	2167 kg
ENGINE & TRAVEL SPEED	
Engine Rated Power	32 kW (43.5 hp)
Fuel Tank	53 litres
Travel Speed	10.6 km/h
CAPACITIES	
Rated Operating Capacity	650 kg
Load	1300 kg
EXTRA ATTACHMENT: PALLET FORKS	
Forks Length	1220 mm
Lifting Capacity	1000 kg
Maximum Lift Height	2771 mm

NOTES:

- These machines are for small earthmoving jobs. They are most suitable in small congested areas as they can turn on their own axis.
- Our skid steer loaders are built to meet the highest standards of safety and reliability and are in excellent working conditions.

معدات الحفر والنقل Earthmoving Equipment



Bulldozers		الجرافات
Operating Weight		40,000 kg
Engine Flywheel Power		320 hp (239 kW)
Total Transport Length with Ripper		6880 mm
Overall Width with the Dozer Blade		4130 mm
Overall Height		3690 mm
Travel Speed	Forward	11.8 km/h
	Reverse	13.7 km/h
Fuel Tank Capacity		600 Liters
UNDERCARRIAGE		
Track Shoes		Reinforced single-grouzer Shoe
Grouzer Height		80 mm
Shoe Width		560 mm
EXTRA ATTACHMENT: GIANT RIPPER ASSEMBLY		
Type		Single Shank Variable Parallelogram
Maximum Lift above ground		965 mm
Maximum Digging Depth		1,240 mm

NOTES:

- Our Dozers are fitted with Air-conditioning to improve the Operator Comfort and work output.



معدات الحفر والنقل Earthmoving Equipment



Motor Grader

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Motor Grader. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Operating Weight		40,000 kg
Engine Flywheel Power		180 hp (134 kW)
Total Transport Length		8380 mm + Ripper?
Overall Width		4300 mm
Overall Height		3120 mm
Fuel Tank Capacity	Forward	45.0 km/h
	Reverse	54.8 km/h
Fuel Tank Capacity		285 Liters
Tires & Rims	Front	2 x 14-24 12PR Tubed L3 & 8" Rim
	Rear	4 x 14-24 12PR Tubed L3 & 8" Rim
GRADER BLADE		
Moldboard		Box-section
Blade Length		4300 mm (14')
Blade Height		645 mm
Maximum Lift Above Ground		450 mm
Maximum Drop Below Ground		535 mm
Maximum Shoulder Reach	Left	2030 mm
	Right	2030 mm
Maximum Bank Cutting Angle		90 degrees
Cutting Angle		29 - 77 degrees
EXTRA ATTACHMENT: 2 X RIPPER SHANK ASSEMBLY		
Maximum Lift Above ground		650 kg
Maximum Digging Depth		1300 kg

NOTES:

- Our Graders are fitted with air-conditioning to improve the operator comfort and work output.

معدات الحفر والنقل

Earthmoving Equipment



Tracked Heavy Excavators: (22 Tons)

Operating Weight		21,500 kg	30,000 kg
Engine Flywheel Power		155 hp (116 kW) ~ 148 hp (110 kW)	252 hp (188 kW)
Maximum Dig Depth		6,620 mm ~ 6,730 mm	7,390mm
Track Width		600 mm	800mm
Overall Transport Length		9,485 mm ~ 9,530 mm	10,705mm
Overall Width		2,990 mm	3,400mm
Transport Height		3,050 mm ~ 3,030 mm	3,290mm
Travel Speed		5.5 km/hr	5.3 km/hr
Fuel Tank Capacity		400 Liters	500 Liters
EXCAVATOR BUCKET (CHOICE OF 2 BUCKETS ARE AVAILABLE FOR EACH EXCAVATOR.)			
Standard Bucket	Width with side cutters	1,236 mm ~ 1,270 mm	
	Narrow Bucket	0.92 m3	0.92 m3
Narrow Bucket	Width with side cutters	772 mm ~ 820 mm	1,340mm
	Capacity	0.50 m3 ~ 0.51 m3	1.27 Cu.m
EXTRA ATTACHMENT: MECHANICAL GRAPPLES (CHOICES OF 2 MECHANICAL GRAPPLE)			
Mechanical Grapple Type		2.3 m	3.0 m
Jaw Opening Width		2.3 m	2.3 m
Weight			
Applications		Suitable for handling Rocks, Scrap, Trees	
EXTRA ATTACHMENT: ROCK-BREAKER			
Working Weight		1625 kg	2,700 kg
Chisel Steel Diameter		138 mm	155mm
Impact Energy		4748 Joules	7460 Joules
Blow Rate per minute		370-550 bpm	320 - 450 bpm
NOTE: Breaker is for Heavy Rock-Breaking jobs.			

NOTES:

- All our Excavators are fitted with Air-conditioning to improve the Operator Comfort and work output.





Tracked Mini Excavators

الحفارات المجنزرة الصغيرة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Motor Grader. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Operating Weight		1,740 kg	3,770 kg	5,320 kg
Engine Output Power		13.5 HP (9.9 kW)	28 HP (20.6 kW)	38.7 HP (28.5 kW)
Maximum Dig Depth		2,310 mm	3,300 mm	4,160 mm
Undercarriage Track Type		Rubber Track	Steel Track	Steel Track
Track Width		950 / 1,250 mm	1,550 mm	1,990 mm
Total Transport Length		3,450 mm	4,610 mm	5,560 mm
Height		2,300 mm	2,510 mm	2,620 mm
Travel Speed		4.3 km/h	4.6 km/h	4.4 km/h
Fuel Tank Capacity		20 Liters	42 Liters	64 Liters
EXCAVATOR BUCKET				
Standard Bucket	Width	450 mm	590 mm	700 mm
	Capacity	0.05 m3 (50 Liters)	0.11 m3 (110 Liters)	0.16 m3 (160 Liters)
EXTRA ATTACHMENT: ROCK-BREAKER				
Operating		112 kg	160 kg	280 kg
Chisel Steel Diameter		45 mm	52 mm	68 mm
Blow Rate per minute		600 to 1500 bpm	850 to 1200 bpm	500 to 1100 bpm
NOTE: Breaker is for Mini Rock-Breaking jobs.				

معدات الحفر والنقل Earthmoving Equipment



Wheeled Loaders (Shovels): 15, 19 Tons

الغرافة (الشيل)

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Motor Grader. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Operating Weight	15,500 kg	19,000 kg
Nett Engine Power	160 hp (119 kW)	220 hp (164 kW)
Fuel Tank Capacity	247 Ltr.	340 Ltr.
Dumping height (45 degree dump)	2,771 mm	3,000 mm
Maximum Breakout Force	123 kN	182.7 kN
Static Tipping Load (Straight)	13,995 kg	2,990 mm
Static Tipping Load at full turn	10,200 kg	12,180 kg
Travel Speed	5.5 km/hr	5.5 km/hr
Fuel Tank Capacity	400 Liters	400 Liters
DIMENSIONS & WEIGHT		
Dozer Blade Type	Semi-Universal Blade	Semi-Universal Blade
Blade Capacity	9.4 cu.m	13.5 cu.m
Blade Length	4,130 mm	4,310 mm
Blade Height	1,790 mm	1,934 mm
BACKHOE (CHOICE OF 4 BACKHOE BUCKETS ARE AVAILABLE.)		
Total Travel Length	7,501 mm	8,255 mm
Overall Width	2,780 mm	3,070 mm
Travel Height	3,356 mm	3,445 mm
Travel Speed	39 km/h	34.5 km/h
SHOVEL (BUCKET)		
Shovel Capacity	4.6 cu.yards	8,255 mm
	3.5 cu.meters	3,070 mm

NOTES:

- All our Wheeled Loaders are fitted with Air-conditioning to improve the Operator Comfort and work output.





Wheeled Loaders: 23 Tons

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Wheeled Loaders. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Operating Weight	22,610 kg
Nett Engine Power	276 hp (206 kW)
Fuel Tank Capacity	365 Ltr.
Dumping Height (45 Degree Dump)	2,985 mm
Maximum Breakout Force	216 kN
Static Tipping Load (Straight)	18,180 kg
DIMENSIONS & WEIGHT	
Total Travel Length	8,600 mm
Overall Width	3,280 mm
Travel Height	3,556 mm
Travel Speed	42 km/h
SHOVEL (BUCKET)	
Shovel Capacity	5.1 cu.yards
	3.9 cu.meters



Fuel Tanker

صهاريج الديزل

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Fuel Trucks. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Fuel Tanker Capacity		1,900 Liters	3,200 Liters
Overall Length		6,150 mm	6,150 mm
Overall Width		2,200 mm	2,200 mm
Overall Height		2,400 mm	2,400 mm
Gross Vehicle Weight		7,000 kg	7,000 kg
Unladen Weight		2,800 kg	2,800 kg
Payload		4,200 kg	4,200 kg
Fuel Tank Capacity		1,900 Liters	2,700 Liters
Air Compressor	Capacity	500 Liters	500 Liters
	Engine	7.5HP, Diesel Driven	7.5HP, Diesel Driven
Other Drum Capacity		3 nos. x 200 Liters	3 nos. X 200 Liters



Fuel Tanker

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Fuel Trucks. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Fuel Tanker Capacity	4,500 Liters	19,000 Liters
Overall Length	6,150 mm	9,500 mm
Overall Width	2,200 mm	2,500 mm
Overall Height	2,400 mm	3,300 mm
Gross Vehicle Weight	7,200 kg	33,000 kg
Unladen Weight	3,000 kg	13,000 kg

NOTES:

- We are providing the fuel supply (diesel) all over bahrain at a reasonable rates.





Water Tanker

صهاريج الماء

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Water Tankers. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Water Tanker Capacity	18900 Liters (5000 U.s Gallons)
Overall Length	10,000 mm
Overall Width	2,500 mm
Overall Height	3,000 mm
Unladen Weight	12,000 kg
WATER TANKER CAPACITY	
Gross Vehicle Weight	33,000 kg



Dump Trucks

Tipper Truck Capacity	GVW.7 Tons, 4 cu.Yd./ 3 cu.m	GVW.27 Tons, 15.6 cu.Yd./12 cu.m
Overall Length	4,850 mm	8,000 mm
Overall Width	2,100 mm	2,500 mm
Overall Height	2,200 mm	3,200 mm
Gross Vehicle weight	7,000 kg	30,000 kg
Unlade weight	2,500 kg	8,000 kg
Payload	4,500 kg	22,000 kg
Cargo Bay Length	2,850 mm	5,500 mm
Cargo Bay Width	2,000 mm	2,350 mm
Cargo Bay Height	320 mm	1,100 mm



شاحنات Trucks



Dump Trucks

الشاحنات القلابة

MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Trailers. All our Equipment are the latest models.
- **OPERATORS:** Highly Experienced / Motivated Operators.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Bahrain.

Dump Trucks

Tipper Truck Capacity	GVW.40 Tons, 23.5 cu.Yd./ 18 cu.m	GVW.44 Tons, 26.2 cu.Yd./ 20 cu.m
Overall Length	8,000 mm	8,000 mm
Overall Width	2,500 mm	2,500 mm
Overall Height	3,200 mm	3,200 mm
Gross Vehicle weight	40,000 kg	44,000 kg
Unlade weight	9,000 kg	9,000 kg
Payload	28,000 kg	30,000 kg
Cargo Bay Length	5,500 mm	5,500 mm
Cargo Bay Width	2,350 mm	2,350 mm
Cargo Bay Height	1,100 mm	1,100 mm

SAFETY NOTES:

- Care must be exercised while loading the trailers to avoid damage to trailers and tractor heads.
- The truck speed must be reduced especially when loading heavy materials. The speed must be further reduced when approaching road bends and roundabouts to avoid overturning.
- The Cargo must be covered as per road regulations.
- Road regulations restrict the Gross Vehicle Weight of the cargo loaded on the trailers.





Cargo Trucks With Drop Sides

شاحنات البضائع ذات الأبواب الجانبية

Truck Capacity	7,000 Kg
Overall Length	6,150 mm
Overall Width	2,200 mm
Overall Height	2,400 mm
Gross Vehicle Weight	7,000 kg
Unladen Weight	2,400 kg
Payload	4,600 kg
Cargo Bay Length	3,350 mm
Cargo Bay Width	2,100 mm
Cargo Bay Height	380 mm



Maintenance Trucks		شاحنات الصيانة
Truck Capacity		7,000 Kg
Overall Length		6,150 mm
Overall Width		2,200 mm
Overall Height		2,400 mm
Gross Vehicle Weight		7,000 kg
Unladen Weight		2,800 kg
Payload		4,200 kg
Air Compressor	Capacity	500 Liters
	Engine	7.5HP, Diesel Driven
Other Drum Capacity		3 nos.

- NOTES:**
- All our trucks are fitted with air conditioning to improve the operator comfort and the quality of the work output.



Lowbed Trucks

Lowbed Truck Name	Lowbed Truck: GVW. 18 Tons, Load 9 Tons	Lowbed Truck: GVW.33 Tons, Load 18 Tons With Winch
Gross vehicle weight	18,000 kg	33,000 kg
Lowbed Capacity	9,000 kg	15,000 kg
Overall length	9,000 kg	18,000 kg
Overall width	10,700 mm	11,300 mm
Overall height	2,600 mm	2,800 mm
Gradeability	3,900 mm	4,200 mm
Engine Type	45 %	45 %
LOWBED AND RAMPS DIMENSIONS		
Flat Deck Length	5,900 mm	6,950 mm
Bevel Length	2,050 mm	1,700 mm
Overall Deck Length	7,900 mm	8,600 mm
Deck Width	2,600 mm	2,700 mm
Deck Height	1,200 mm	1,300 mm
Ramps Length	3,220 mm	4,260 mm (3,060+1,200)
Ramps Width	1,000 mm	1,050 mm
Ramps Raising and Lowering	Hydraulic	Hydraulic
EXTRA ATTACHMENT: HYDRAULIC WINCH		
Pull Capacity	N/A	11,340 kg
Wire Rope size	N/A	14.3 mm (9/16 in)



Recovery Truck: Payload With Winch 4,6 Tons

Recovery Truck Name	Recovery Truck: GVW 7.2 Tons, Load 4 Tons with Winch	Recovery Truck: GVW 9.5 Tons, Load 6 Tons with Winch
Gross vehicle weight	7,200 kg	9,500 kg
Lowbed Capacity	4,000 kg	6,000 kg
Overall length	7,400 mm	9,400 mm
Overall width	2,300 mm	2,300 mm
Overall height	2,700 mm	2,900 mm
Gradeability	40 %	40 %
Engine Type	Diesel Engine	Diesel Engine
RECOVERY DECK DIMENSIONS		
Recovery Deck Length	6,450 mm	7,450 mm
Deck Width	2,650 mm	2,650 mm
Deck Height	1,160 mm	1,160 mm
EXTRA ATTACHMENT: HYDRAULIC WINCH		
Pull Capacity	5,000 kg	6000 kg
Wire Rope size	8 mm	10 mm





Flat-Bed Semi Trailers نصف المقطورات المسطحة	
Flat-Bed Capacity	40,000 Kg
Overall Length	12,650 mm
Overall Width	2,700 mm
Overall Height	3,300 mm
Unladen Weight	9,200 kg
Flat-Bed Deck Length	12,000 mm
Flat-Bed Deck Width	2,500 mm
Flat-Bed Deck Height	1,700 mm



Wire-Mesh Side Semi Trailers نصف المقطورات ذات الشبائك الجانبية	
Wire-Mesh Side Capacity	30,000 Kg
Overall Length	13,000 mm
Overall Width	2,650 mm
Overall Height	3,000 mm
Unladen Weight	8,250 kg
Flat-Bed Deck Length	13,650 mm
Flat-Bed Deck Width	2,550 mm
Flat-Bed Deck Height	1,500 mm



Low-Bed Semi-Trailers		نصف المقطورات المنخفضة (لنقل الآليات)	
Low-Bed Capacity	30,000 kg	50,000 kg	60,000 kg
Overall Length	11,450 mm	12,450	14,800 mm
Overall Width	3,000 mm	3,000 mm	3,000 mm
Overall Height	3,600 mm	3,600 mm	3,750 mm
Unladen Weight	9,500 kg	10,000 kg	15,000 kg
LOW BED DECK DIMENSIONS			
Low-Bed Deck Length	7,500 mm	8,500 mm	9,500 mm
Low-Bed Bevel Length	500 mm	500 mm	1,300 mm
Low-Bed Deck Width	3,000 mm	3,000 mm	3,000 mm
Low-Bed Deck Height	1,050 mm	1,050 mm	1,260 mm
Low-Bed Ramp Length	3,000 mm	3,300 mm	3,000 mm



Tipping Semi-Trailers

Tipping Trailer Name	Semitrailer Tripper GVW.45 Tons, 26cu.Yd/20cu.m	Semitrailer Tripper GVW.45 Tons, 28.8cu.Yd/22cu.m
Overall Length	8,550 mm	8,800 mm
Overall Width	2,550 mm	2,600 mm
Overall Height	3,500 mm	3,500 mm
Unladen Weight	10,000 kg	11,000 kg
Overall height	29,000 kg	28,000 kg
TIPPING BODY INTERNAL DIMENSIONS		
Cargo-Bay Volume	26cu.Yd/20cu.m	28.8cu.Yd/22cu.m
Cargo-Bay Average Length	7,550 mm	7,750 mm
Cargo-Bay Width	2,300 mm	2,300 mm
Cargo-Bay Height	1,250 mm	1,350 mm

KINGDOM OF SAUDI ARABIA

CONTACT DETAILS

ACCESS PLATFORMS

055 733 3875, 053 533 3045

FORKLIFTS

055 733 3875, 050 079 3332

GENERATORS AND COMPRESSORS

055 733 3875, 050 079 3332

HEAVY EQUIPMENT

053 533 3045

PORTABLE CABINS

055 878 1119, 013 808 4415

TRANSPORTATION AND LOGISTICS

053 533 3045

QUALITY USED EQUIPMENT

055 888 4575

24 Hours Hotline: 055 878 1119

Email: awal@mister-machine.com

Website: www.mister-machine.com

Al Khobar Branch

Tel : 013 808 4412, 013 808 4413

013 808 4415, 013 808 4419

P.O. Box: 8146, Al Khobar 34623

Address

Warehouse, Madar Industrial Area

King Khalid Road, Al Khobar,

Near Al Thuqba Industrial Area

Kingdom of Saudi Arabia

GPS Map: 26.2443, 50.2003



المملكة العربية السعودية

بيانات الاتصال

الرافعات الشخصية المتنقلة

٠٥٣ ٥٣٣ ٣٠٤٥ - ٠٥٥ ٧٣٣ ٣٨٧٥

الرافعات الشوكية

٠٥٠ ٧٩٣ ٣٣٢ - ٠٥٥ ٧٣٣ ٣٨٧٥

المولدات الكهربائية والضواغط

٠٥٠ ٧٩ ٣٣٣٢ - ٠٥٥ ٧٣٣ ٣٨٧٥

المعدات الثقيلة

٠٥٣ ٥٣٣ ٣٠٤٥

الكابائن متنقلة

٠٥٥ ٨٧٨ ١١١٩ - ٠١٣ ٨٠٨ ٤٤١٥

النقل والخدمات اللوجستية

٠٥٣ ٥٣٣ ٣٠٤٥

معدات مستخدمة ممتازة

٠٥٥ ٨٨٨ ٤٥٧٥

الخط الساخن ٢٤ ساعة: ٠٥٥ ٨٧٨ ١١١٩

Email: awal@mister-machine.com

Website: www.mister-machine.com

فرع الخبر

هاتف: ٠١٣ ٨٠٨ ٤٤١٣ - ٠١٣ ٨٠٨ ٤٤١٢

٠١٣ ٨٠٨ ٤٤١٩ - ٠١٣ ٨٠٨ ٤٤١٥

ص.ب: ٨١٤٦, الخبر ٣٤٦٢٣

العنوان

مستودع, منطقة مدار الصناعية

طريق الملك خالد, الخبر

بالقرب من منطقة الثقب الصناعية

المملكة العربية السعودية

خريطة تحديد الموقع: ٢٦.٢٤٤٣, ٥٠.٢٠٠٣

