



قسم المولدات والضاغطات ومولدات اللحام

GENERATORS, COMPRESSORS &  
WELDING MACHINES

DIVISION



مستر مشين  
Mister Machine

Quality Equipment Hire خدمات تأجير متميزة

[www.mister-machine.com](http://www.mister-machine.com)







## Generators & Compressors

+973 1770 8160, 1770 5059

24 Hours Maintenance

3656 6262

[www.mister-machine.com](http://www.mister-machine.com)

<b>Contact Details (Bahrain)</b>	<b>1</b>
<b>Location Map (Maameer Head Office)</b>	<b>2</b>
<b>1) ELECTRICITY GENERATORS: -</b>	<b>3</b>
Single Phase, Three Phase, Electrical Accessories.	
<b>2) AIR COMPRESSORS: -</b>	<b>9</b>
Electric Compressors, Diesel Air Compressors.	
<b>3) LIGHTING TOWERS: -</b>	<b>16</b>
LED Lighting Towers, Metal Halide Lighting Towers.	
<b>4) WELDING MACHINES: -</b>	<b>17</b>
Welding Generators, Welding Invertors, Welding transformers, Welding Rectifiers, Plasma Arc Cutters.	
<b>5) GENERAL ACCESSORIES: -</b>	<b>19</b>
Drip Trays, Offshore Frames, Portable Fuel Tanks, Spark Arrestors, Site Trailers.	
<b>Contact Details (Saudi Arabia)</b>	<b>21</b>
<b>Saudi Arabia Location Map</b>	<b>22</b>



مستر مشين  
Mister Machine  
خدمات تأجير متميزة Quality Equipment Hire

## KINGDOM OF BAHRAIN

### CONTACT DETAILS

#### ACCESS PLATFORMS

+973-17708177, 1770 8170

#### FORKLIFTS

+973-17708177, 1770 5052

#### GENERATORS AND COMPRESSORS

+973-1770 8168, 1770 5059

#### HEAVY EQUIPMENT

+973-1770 8177, 1770 8170

#### LIGHT EQUIPMENT

+973-1770 8168, 1770 5059

#### FORMWORK AND SCAFFOLDING

+973-1770 8168, 1770 5059

#### PORTABLE CABINS

+973-1770 8168, 1770 5059

#### SKIPS

+973-17705085, 39797404

#### TRANSPORTATION AND LOGISTICS

+973-1770 8177, 1770 8168

#### QUALITY USED EQUIPMENT FOR SALE

+973 3975 7554, 1770 8173, 1770 6144,  
+966 55 888 4575



## BAHRAIN BRANCHES

### Ma'ameer

Tel: +973 17708160, 17708168

Fax : +97317700086

Location: Bldg. 541, Rd.3417 Blk. 634, Maameer Industrial Area

GPS Map: 26.1267, 50.6050

### Manama

Tel: +973 17240166

Fax: +973 17240155

Location: Shop 313, R. 336, Bil. 311, Manama

GPS Map: 26.2226, 50.5711

### Hidd

Tel. +973 1734 5020, 1770 5057

Location Bldg. 620 B, Rd 106, Blk. HIDD 101

GPS (map) 26.2562, 50. 6698

### Ras Zuwayed

Tel: +973 1770 5070, +973 1770 8177

Fax: +973 1770 3050

Location: Bldg. 49, Ave. 52, Blk. 952, Ras Zuwayed

GPS Map: 26.0792, 50.6238

## مملكة البحرين

### بيانات الاتصال

#### الرافعات الشخصية المتنقلة

+973-1770.8177, 1770 8170

#### الرافعات الشوكية

+973-1770.8177, 1770 5052

#### المولدات الكهربائية والضواغط

+973-1770 8168, 1770 5059

#### المعدات الثقيلة

+973-1770 8177, 1770 8170

#### المعدات الخفيفة

+973-1770 8168, 1770 5059

#### القوالب والسقالات

+973-1770 8168, 1770 5059

#### كباين متنقلة

+973-1770 8168, 1770 5059

#### حاويات الأنتقاض


+973-1770.5085, 39797404

#### النقلات والخدمات اللوجستية

+973-1770 8177, 1770 8168

#### بيع المعدات المستعملة الممتازة

+973 3975 7554, 1770 8173, 1770 6144  
+966 55 888 4575





## ELECTRICITY GENERATORS - 1 PHASE, PETROL, OPEN

## المولدات الكهربائية - 1 فيز

### MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

PETROL GENERATOR NAME	MAXIMUM OUTPUT AT 50 HZ		RATED OUTPUT AT 50 HZ		PETROL TANK CAPACITY (LITRES)	DRY WEIGHT (KG)	OTHER OUTPUT
	WATTS	AMPS	WATTS	AMPS			
500	550	2.4	450	2.0	2	18.5	D.C 12V-8.3A(100W)
2,000	2,000	8.7	1,700	7.4	11.5	43	D.C 12V-8.3A(100W)
3,000	3,000	13.0	2,500	10.9	14	53	D.C 12V-8.3A(100W)
5,000	5,000	21.7	4,400	19.1	16.5	76	D.C 12V-8.3A(100W)

### IMPORTANT NOTES:

#### POWER CALCULATIONS:

- 1) We recommend you to base your maximum load at 75% of the Rated power ratings.
- 2) Most Generators output are designed at 27 degrees C and are subject to 7.5% de-rating at 50 degrees C and 10% at 55 degree C.

#### VOLTAGE, FREQUENCY:

- Our Electricity Generators are tuned to Saudi voltage & frequency as follows:
- 1) Voltage Line to Neutral = 230 Volts.
  - 2) Frequency = 50HZ, Power Factor = 1.0



**SINGLE PHASE DIESEL GENERATORS**

المولدات الكهربائية - ا فيز

DIESEL GENERATOR NAME	MAXIMUM OUTPUT AT 50 HZ		RATED OUTPUT AT 50 HZ		PETROL TANK CAPACITY (LITRES)	DRY WEIGHT (KG)	OTHER OUTPUT
	WATTS	AMPS	WATTS	AMPS			
3,300	3,000	13.0	2,700	11.7	7.8	58.5	D.C 12V-8.3A(100W)
5,000	5,000	21.7	4,500	19.6	7.5	175	
6,500	6,500	29.5			11	227	

**B. SINGLE PHASE GENERATOR - DIESEL ENGINE: INVERTOR, SILENT CANOPY**

DIESEL GENERATOR NAME	MAXIMUM OUTPUT AT 50 HZ		RATED OUTPUT AT 50 HZ		PETROL TANK CAPACITY (LITRES)	DRY WEIGHT (KG)	OTHER OUTPUT
	WATTS	AMPS	WATTS	AMPS			
7,500	7,500	32.6	6,750	29.3	32	257	Inverter Type

**IMPORTANT NOTES:**

**POWER CALCULATIONS:**

- 1) We recommend you to base your maximum load at 75% of the prime power ratings.
- 2) Most Generators output are designed at 27 degrees C and are subject to 7.5% de-rating at 50 degrees C and 10% at 55 degree C.

**VOLTAGE, FREQUENCY:** Our Electricity Generators are tuned to Saudi voltage & frequency as follows:

- 1) Voltage Line to Neutral = 230 Volts.
- 2) Frequency = 50HZ, Power Factor = 1.0



المولدات الكهربائية - ٣ فيز: ١٦ إلى ٩٠ كيلو فولت أمبير

**ELECTRICITY GENERATORS - 3 PHASE:16 to 90 kVA**

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

Diesel Generator Standby Rating (KVA)	Maximum Prime Power Rating			Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating Diesel Consumption (Liters / HR)		
	KVA	KW	Amps Per Phase			100%	75%	50%
22 kVA	20.0	16.0	28.8	615	45	5.3	3.9	2.9
37 kVA	34.0	27.0	53.4	1,145	105	8.8	6.6	4.5
44 kVA	40.0	32.0	57.7	1,245	245	9.4	7.1	5.1
55 kVA	50.0	40.0	72.2	1,245	245	11.8	8.9	6.4
65 kVA	60.0	48.0	86.6	1,315	245	13.6	10.2	7.1
88 kVA	80.0	64.0	115.5	1,435	245	18.2	13.6	9.5

**IMPORTANT NOTES:**

**POWER CALCULATIONS:**

- 1) We recommend you to base your maximum load at 75% of the prime power ratings.
- 2) Most Generators output are designed at 27 degrees C and are subject to 7.5% de-rating at 50 degrees C and 10% at 55 degree C.

**VOLTAGE, FREQUENCY:** Our Electricity Generators are tuned to Bahrain voltage & frequency as follows:

- 1) Voltage Line to Line = 400 Volts, Voltage Line to Neutral = 230 Volts.
- 2) Frequency = 50HZ, Power Factor = 0.8
- 3) Generators may be converted to other voltage / frequency after prior arrangement.





المولدات الكهربائية - ٣ فيز: ١٠٠ إلى ٢٧٥ كيلو فولت أمبير

ELECTRICITY GENERATORS - 3 PHASE: 100 to 275 kVA

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

Diesel Generator Standby Rating (KVA)	Maximum Prime Power Rating			Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating Diesel Consumption (Liters / HR)		
	KVA	KW	Amps Per Phase			100%	75%	50%
110 kVA	100.0	80.0	144.3	1,725	300	21.9	16.6	11.7
150 kVA	135.0	108.0	194.8	2,340	375	30.9	23.8	16.8
175 kVA	160.0	128.0	230.9	2,810	495	36.0	29.0	18.0
220 kVA	200.0	160.0	288.6	2,890	550	49.4	37.4	25.6
250 kVA	225.0	184.0	324.8	2,890	550	50.0	39.5	29.9
275 kVA	250.0	200.0	360.8	3,080	550	58.9	46.1	31.1

**IMPORTANT NOTES:**

**POWER CALCULATIONS:**

- 1) We recommend you to base your maximum load at 75% of the prime power ratings.
- 2) Most Generators output are designed at 27 degrees C and are subject to 7.5% de-rating at 50 degrees C and 10% at 55 degree C.

**VOLTAGE, FREQUENCY:** Our Electricity Generators are tuned to Bahrain voltage & frequency as follows:

- 1) Voltage Line to Line = 400 Volts, Voltage Line to Neutral = 230 Volts.
- 2) Frequency = 50HZ, Power Factor = 0.8
- 3) Generators may be converted to other voltage / frequency after prior arrangement.



المولدات الكهربائية - ٣ فيز: ٣٠٠ إلى ١١١٠ كيلو فولت أمبير

**ELECTRICITY GENERATORS - 3 PHASE: 300 to 1110 kVA**

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

Diesel Generator Standby Rating (KVA)	Maximum Prime Power Rating			Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating Diesel Consumption (Liters / HR)		
	KVA	KW	Amps Per Phase			100%	75%	50%
300 kVA	275.0	220.0	396.9	4,800	691	57.0	42.0	28.0
330 kVA	300.0	240.0	433.0	4,800	900	68.8	52.8	37.3
400 kVA	365.0	292.0	526.8	5,430	900	78.4	59.0	41.1
550 kVA	500.0	400.0	721.7	7,500	900	102.0	76.2	54.0
706 kVA	640.0	512.0	923.8	8,000	Nil	140.0	104.0	73.0
900 kVA	810.0	648.0	1,169.1	13,200	3,100	171.4	130.4	90.9
1110 kVA	1000.0	800.0	1,443.4	16,300	3,400	206.7	155.5	108.5

**IMPORTANT NOTES:**

**POWER CALCULATIONS:**

- 1) We recommend you to base your maximum load at 75% of the prime power ratings.
- 2) Most Generators output are designed at 27 degrees C and are subject to 7.5% de-rating at 50 degrees C and 10% at 55 degree C.

**VOLTAGE, FREQUENCY:** Our Electricity Generators are tuned to Bahrain voltage & frequency as follows:

- 1) Voltage Line to Line = 400 Volts, Voltage Line to Neutral = 230 Volts.
- 2) Frequency = 50HZ, Power Factor = 0.8
- 3) Generators may be converted to other voltage / frequency after prior arrangement.

## ELECTRICAL ACCESSORIES

## الملحقات الكهربائية

### MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring only the best performance, most reliable Electrical Cables.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in the Kingdom of Saudi Arabias.

### ELECTRIC CABLES

- 5 Core flexible cables: 6, 10, 16, and 50 mm<sup>2</sup> of different lengths: 15, 20, 25, 30 meters long.
- Single Core Flexible Copper Cable: 70, 120, and 240 mm<sup>2</sup> of different lengths: 15, 20, 25, 30, 35 meters long.

### CABLE DRUMS

- 5 Core flexible cables: 6, 10, 16, and 50 mm<sup>2</sup> of different lengths: 15, 20, 25, 30 meters long.
- Single Core Flexible Copper Cable: 70, 120, and 240 mm<sup>2</sup> of different lengths: 15, 20, 25, 30, 35 meters long.



### CABLE DRUMS

- Cable Drum, Steel: D 850mm with pallet 1.0x 1.0m
- Cable Drum, Steel: D 1,100 mm with pallet 1.2x 1.2m

### EXTENSION CABLE DRUMS

- Extension Cable Drum, 3Core: 1.0mm x 5m, 2 outlet
- Extension Cable Drum, 3Core: 1.5mm x 10m, 3 outlet
- Extension Cable Drum, 3Core: 1.5mm x 25m, 3 outlet
- Extension Cable Drum, 3Core: 1.5mm x 50m, 3 outlet



### CHANGE-OVER SWITCHES

This is to allow load transfer between 2 power supplies, example from Main Power supply to Generator Power supply and vice versa.

### MANUAL CHANGE-OVER SWITCHES

- Available Sizes: 125, 160, 200, 260, 300 Amps / Phase.
- Other sizes may be arranged as per customer requirements.

### AUTOMATIC CHANGE-OVER SWITCHES

ATS can be arranged as per customer requirements.

### DISTRIBUTION BOARDS

Distribution Boards may be arranged as per customer requirements.

### MAIN PANEL, SUB-MAIN PANELS

Main Panel, Sub-main Panels may be arranged as per customer requirements.





## ELECTRIC AIR COMPRESSORS - 1.5 TO 10 HP

## ضواغط الهواء الكهربائية

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

Electric Compressor Name	ACTUAL FREE AIR DELIVERY		MAXIMUM AIR PRESSURE		AIR RECEIVER CAPACITY LITERS	OPERATING WEIGHT KG
	CFM	Liters / min	BAR	PSI		
1 Phase, 230V : 2 HP, 50 Litres	8.4	238	8	116	50	39
1 Phase, 230V : 3 HP, 100 Litres	13.7	387	10	145	100	72
1 Phase, 230V : 3 HP, 150 Litres	13.7	387	10	145	150	90
1 Phase, 230V : 3 HP, 200 Litres	13.7	387	10	145	200	100
1 Phase, 230V : 3 HP, 270 Litres	13.7	387	10	145	270	160
1 Phase, 230V : 3 HP, 300 Litres	13.7	387	10	145	300	165
3 Phase, 400V : 5.5 HP, 500 Litres	23.1	653	11	160	500	255
3 Phase, 400V : 7.5 HP, 500 Litres	36.1	1,023	11	160	500	295
3 Phase, 400V : 10 HP, 500 Litres	42.7	1,210	11	160	500	300

**IMPORTANT NOTES:**

- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **Safety Guard:** All compressors are supplied with Safety Guard with built in Castor Wheels to simplify delivery.



## ضواغط الهواء الديزل: ١٨٥ إلى ٧٥٠ قدم مكعب بالدقيقة

## Diesel Air Compressors: 185 to 750 cfm

**MISTER MACHINE ®**

**Quality Equipment Hire:** Hiring the best performance, most reliable Air Compressors at Competitive Hire Rates. Our compressors are the latest models. We are the complete answer to all your compressed air needs.

**Diesel engine:** powered rotary screw compressors are used to supply compressed air for construction sites (cleaning and power pneumatic tools), General industrial applications.

Air Compressor Name	Actual free Air Delivery	Rated Operating Pressure	Operating Weight (KG)	Fuel Tank Capacity	Overall Dimensions		
					Length	Width	Height
Air Compressor Diesel: 185 cfm, 7.0 bar	5.2 m <sup>3</sup> /min (185 cfm)	7.0 bar (100 psi)	960 kg	90 Liters	2,960 mm	1,650 mm	1,510 mm
Air Compressor Diesel: 265 cfm, 7.0 bar	7.5 m <sup>3</sup> /min (265 cfm)	7.0 bar (100 psi)	1460 kg	115 Liters	2,980 mm	1,630 mm	1,715 mm
Air Compressor Diesel: 390 cfm, 7.0 bar	11.0 m <sup>3</sup> /min (390 cfm)	7.0 bar (100 psi)	2,040 kg	180 Liters	3,875 mm	1,800 mm	1,780 mm
Air Compressor Diesel: 400 cfm, 7.0 bar	11.3 m <sup>3</sup> /min (400 cfm)	7.0 bar (100 psi)	1,940 kg	178 Liters	3,665 mm	1,975 mm	1,750 Mm
Air Compressor Diesel: 750 cfm, 7.0 bar	21.2 m <sup>3</sup> /min (750 cfm)	7.0 bar (100 psi)	3,300 kg	310 Liters	3,650 mm	1,685 mm	2,070 mm
Air Compressor Diesel: 750 cfm, 10.3 bar	21.2 m <sup>3</sup> /min (750 cfm)	10.34 bar (150 psi)	3,570 kg	300 Liters	4,810 mm	2,150 mm	2,130 mm

**NOTES:**

Power Calculations: The above air compressor outputs are at ideal conditions of temperature (20 degrees Centigrade), atmospheric pressure and humidity. The actual output at site will be reduced due to adverse weather conditions and dust. We recommend you base your maximum load at 80% of the Actual free Air Delivery.

Air Pressure: All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.

**AIR COMPRESSORS ACCESSORIES: -**

- Air Hoses: Available sizes: 19, 38, 50, 63 mm (3/4, 1.5, 2, 2.5 inches)
- **GENERAL ACCESSORIES: -**
  - 1) Drip Trays: Drip Trays provide additional security against oil/ fuel spillage at site.
  - 2) External Fuel Tanks: External fuel tanks reduce the number of fillings required and prevent power interruptions caused by empty fuel tanks.
  - 3) Offshore Frames: Certified offshore frames are available after prior arrangement as required by offshore oil rigs.
  - 4) Spark Arrestors: Certified spark arrestors are available as required by industrial sites.
  - 5) Trailers: Mobile trailers are available after prior arrangement to simplify transportation.

Keywords: Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Electricity Generators, Mobile Gensets, Portable Power, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba







ضواغط الهواء الديزل: ٨٠٠ إلى ٩٢٠ قدم مكعب بالدقيقة

**Diesel Air Compressors: 800 to 920 cfm**

**MISTER MACHINE ®**

**Quality Equipment Hire:** Hiring the best performance, most reliable Air Compressors at Competitive Hire Rates. Our compressors are the latest models. We are the complete answer to all your compressed air needs.

**Diesel engine:** powered rotary screw compressors are used to supply compressed air for construction sites (cleaning and power pneumatic tools), General industrial applications.

Air Compressor Name	Actual free Air Delivery	Rated Operating Pressure	Operating Weight (KG)	Fuel Tank Capacity	Overall Dimensions		
					Length	Width	Height
Air Compressor Diesel: 800cfm, 10.3 bar aftercooler	22.6 m3/min (800 cfm)	10.3 bar (150 psi)	3,600 kg	450 Liters	3,700 mm	1,770 mm	2,182 mm
Air Compressor Diesel: 820cfm, 8.6 bar aftercooler	23.2 m3/min (800 cfm)	8.6 bar (125 psi)	4,910 kg	425 Liters	4,910 mm	2,140 mm	2,462 mm
Air Compressor Diesel: 830cfm, 10.3 bar	23.5 m3/min (830 cfm)	10.34 bar (150 psi)	4,600 kg	400 Liters	4,000 mm	1,900 mm	2,150 mm
Air Compressor Diesel: 850cfm, 8.6 bar aftercooler	24.0 m3/min (848 cfm)	8.6 bar (125 psi)	3,296 kg	275 Liters	5,074 mm	2,000 mm	2,090 mm
Air Compressor Diesel: 920cfm, 10.3 bar	26.0 m3/min (920 cfm)	10.34 bar (150 psi)	4,750 kg	400 Liters	4,604 mm	1,900 mm	2,150 mm
Air Compressor Diesel: 920cfm, 10.3 bar, aftercooler	26.0 m3/min (920 cfm)	10.34 bar (150 psi)	4,800 kg	400 Liters	4,604 mm	1,900 mm	2,150 mm

**NOTES:**

**Power Calculations:** The above air compressor outputs are at ideal conditions of temperature (20 degrees Centigrade), atmospheric pressure and humidity. The actual output at site will be reduced due to adverse weather conditions and dust. We recommend you base your maximum load at 80% of the Actual free Air Delivery.

**Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.

**After-cooler and water Separator:** Most of our Air Compressors are fitted with after-coolers and water separators to remove excess water. This is especially important for blasting and power tools

**AIR COMPRESSORS ACCESSORIES: -**

- Air Hoses: Available sizes: 19, 38, 50, 63 mm (3/4, 1.5, 2, 2.5 inches)

• **GENERAL ACCESSORIES: -**

- 1) **Drip Trays:** Drip Trays provide additional security against oil/ fuel spillage at site.
- 2) **External Fuel Tanks:** External fuel tanks reduce the number of fillings required and prevent power interruptions caused by empty fuel tanks.
- 3) **Offshore Frames:** Certified offshore frames are available after prior arrangement as required by offshore oil rigs.
- 4) **Spark Arrestors:** Certified spark arrestors are available as required by industrial sites.
- 5) **Trailers:** Mobile trailers are available after prior arrangement to simplify transportation.

**Keywords:** Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Electricity Generators, Mobile Gensets, Portable Power, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba









ضاغط الهواء الديزل: ٩٣٨ إلى ١٢٢٥ قدم مكعب بالدقيقة

Diesel Air Compressors: 938 to 1225 cfm

**MISTER MACHINE®**

**Quality Equipment Hire:** Hiring the best performance, most reliable Air Compressors at Competitive Hire Rates. Our compressors are the latest models. We are the complete answer to all your compressed air needs.

**Diesel engine:** powered rotary screw compressors are used to supply compressed air for construction sites (cleaning and power pneumatic tools), General industrial applications.

Air Compressor Name	Actual free Air Delivery	Rated Operating Pressure	Operating Weight (KG)	Fuel Tank Capacity	Overall Dimensions		
					Length	Width	Height
Air Compressor Diesel: 938 cfm, 10.3 bar aftercooler	26.5 m3/min (938 cfm)	12.0 bar (175 psi)	6,256 kg	796 Liters	4,900 mm	2,140 mm	2,480 mm
Air Compressor Diesel: 1020 cfm 10.0 bar aftercooler	28.9 m3/min (1020 cfm)	10.3 bar (150 psi)	6,256 kg	796 Liters	4,900 mm	2,140 mm	2,480 mm
Air Compressor Diesel: 1127 cfm 8.6 bar aftercooler	31.9 m3/min (1127 cfm)	8.6 bar (125 psi)	6,256 kg	796 Liters	4,900 mm	2,140 mm	2,500 mm
Air Compressor Diesel: 1102 cfm, 10.3 bar aftercooler	31.2 m3/min (1102 cfm)	8.6 bar (125 psi)	4,940 kg	420 Liters	4,250 mm	2,100 mm	2,500 mm
Air Compressor Diesel: 1225 cfm, 10.3 bar aftercooler	34.6 m3/min (1225 cfm)	10.3 bar (150 psi)	4,940 kg	420 Liters	4,250 mm	2,100 mm	2,500 mm

**NOTES:**

**Power Calculations:** The above air compressor outputs are at ideal conditions of temperature (20 degrees Centigrade), atmospheric pressure and humidity. The actual output at site will be reduced due to adverse weather conditions and dust. We recommend you base your maximum load at 80% of the Actual free Air Delivery.

**Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.

**After-cooler and water Separator:** Most of our Air Compressors are fitted with after-coolers and water separators to remove excess water. This is especially important for blasting and power tools

**AIR COMPRESSORS ACCESSORIES: -**

- Air Hoses: Available sizes: 19, 38, 50, 63 mm (3/4, 1.5, 2, 2.5 inches)
- **GENERAL ACCESSORIES: -**
  - 1) **Drip Trays:** Drip Trays provide additional security against oil/ fuel spillage at site.
  - 2) **External Fuel Tanks:** External fuel tanks reduce the number of fillings required and prevent power interruptions caused by empty fuel tanks.
  - 3) **Offshore Frames:** Certified offshore frames are available after prior arrangement as required by offshore oil rigs.
  - 4) **Spark Arrestors:** Certified spark arrestors are available as required by industrial sites.
  - 5) **Trailers:** Mobile trailers are available after prior arrangement to simplify transportation.

**Keywords:** Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Electricity Generators, Mobile Gensets, Portable Power, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba





## LIGHTING TOWERS

## أبراج إنارة

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.

Our Lighting towers are the best answer to all your night time activities. Its 9kW lighting power turns into day on any construction site, emergency night-time work, etc.

Lighting Tower fully raised height: 9 METERS.

Total Lighting Power: 5.1kW (4 \* 1000 WATTS).

**SAFETY:**

Please take due care while raising and lowering the lighting tower mast.



## مولدات اللحام: من ١٨٠ إلى ٥٠٠ أمبير

## WELDING GENERATORS: 180 TO 500 AMPS

**MISTER MACHINE ®**

**Quality Equipment Hire:** Hiring the best performance, most reliable Air Compressors at Competitive Hire Rates. Our compressors are the latest models. We are the complete answer to all your compressed air needs.

**Diesel engine:** powered rotary screw compressors are used to supply compressed air for construction sites (cleaning and power pneumatic tools), General industrial applications.

**Welding DC Generator**

Welding Mode	Single User	Dual Users
Rated Current (Amps)	480 A	230 A
Rated Voltage (Volts)	39.2 V	29.2 V
Duty Cycle (%)	60 %	80 %
Current Adj. Range (Amps)	60-500 / 65-500 A	30-280 / 35-280
Welding Rod Capacity (mm)	2.6-8.0	2.0-6.0
Gouging Rod (mm)	3.2-9.5	3.2-5.0

**AC Generator Mode**

Rated Frequency	50 Hz
Phase	230 Volts
Rated Current	15A x 2

**POWER**

Engine Type	Diesel Engine
Fuel Tank Capacity	63 Liters

**DIMENSIONS & WEIGHT**

Overall Length	1680 mm
Overall Width	700 mm
Overall Height	950 mm
Operating weight	700 kg

**CERTIFICATION**

Certification Co.	Bureau Veritas / TUV
-------------------	----------------------

**NOTES:**

Power Calculations: Many factors affect the maximum load capacity of welding gensets including ambient temperature, type of load, etc. We recommend you base your maximum load at 75% of the prime power ratings.

**GENERAL ACCESSORIES: -**

- 1) Drip Trays: Drip Trays provide additional security against oil/ fuel spillage at site.
- 2) External Fuel Tanks: External fuel tanks reduce the number of fillings required and prevent power interruptions caused by empty fuel tanks.
- 3) Offshore Frames: Certified offshore frames are available after prior arrangement as required by offshore oil rigs.
- 4) Spark Arrestors: Certified spark arrestors are available as required by industrial sites.
- 5) Trailers: Mobile trailers are available after prior arrangement to simplify transportation.

Keywords: Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Electricity Generators, Mobile Gensets, Portable Power, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba





## EXTERNAL FUEL TANK

### MISTER MACHINE®

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators. All our Gensets are the latest models.
- **COMPLETE:** The complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates.
- **AVAILABILITY:** We are available in the Kingdom of Bahrain and the Kingdom of Saudi Arabia.



	Portable Tank: 1,400 Ltr	Portable Tank: 2,500 Ltr	Portable Tank: 5,000 Ltr	Portable Tank: 10,000 Ltr
Capacity	1400 Liters	2500 Liters	5000 Liters	10000 Liters
Overall Length	1525 mm	2275 mm	3020 mm	4500 mm
Overall Width	1250 mm	1250 mm	1220 mm	1500 mm
Overall Height	1550 mm	1525 mm	2120 mm	2125 mm
Unlade Weight	600 Kg	900 Kg	1400 Kg	2300 Kg
No. of Connections	1 Connection	2 Connections	2 Connections	2 Connections



## KINGDOM OF SAUDI ARABIA

### CONTACT DETAILS

#### ACCESS PLATFORMS

055 733 3875, 053 533 3045

#### Forklifts

053 533 3045, 055 733 3875

#### GENERATORS AND COMPRESSORS

055 733 3875, 050 079 3332

#### HEAVY EQUIPMENT

053 533 3045, 055 733 3875

#### TRANSPORTATION AND LOGISTICS

050 079 3332, 053 533 3045

#### QUALITY USED EQUIPMENT

+973 3975 7554, +966 55 888 4575

## المملكة العربية السعودية

### بيانات الاتصال

#### الرافعات الشخصية المتنقلة

٠٥٥ ٧٣٣ ٣٨٧٥, ٠٥٣ ٥٣٣ ٣٠٤٥

#### الرافعات الشوكية

٠٥٣ ٥٣٣ ٣٠٤٥, ٠٥٥ ٧٣٣ ٣٨٧٥

#### المولدات الكهربائية والضواغط

٠٥٥ ٧٣٣ ٣٨٧٥, ٠٥٠ ٠٧٩ ٣٣٣٢

#### المعدات الثقيلة

٠٥٣ ٥٣٣ ٣٠٤٥, ٠٥٥ ٧٣٣ ٣٨٧٥

#### النقل والخدمات اللوجستية

٠٥٠ ٠٧٩ ٣٣٣٢, ٠٥٣ ٥٣٣ ٣٠٤٥

#### معدات مستخدمة ممتازة

+٩٧٣ ٣٩٧٥ ٧٥٥٤, +٩٦٦ ٥٥ ٨٨٨ ٤٥٧٥

**24 Hours Hotline:** 055 878 1119

Email: awal@mister-machine.com

Website: www.mister-machine.com

#### Al Khobar Branch

Tel : 013 808 4412, 013 808 4413

013 808 4415, 013 808 4419

P.O. Box: 8146, Al Khobar 34623

Warehouse, Madar Industrial Area  
King Khalid Road, Al Khobar,  
Near Al Thuqba Industrial Area  
Kingdom of Saudi Arabia

**GPS Map:** 26.2443, 50.2003



**الخط الساخن ٢٤ ساعة:** ٠٥٥ ٨٧٨ ١١١٩

Email: awal@mister-machine.com

Website: www.mister-machine.com

#### فرع الخبر

هاتف: ٠١٣ ٨٠٨ ٤٤١٢, ٠١٣ ٨٠٨ ٤٤١٣

٠١٣ ٨٠٨ ٤٤١٥, ٠١٣ ٨٠٨ ٤٤١٩


ص.ب: ٨١٤٦, الخبر ٣٤٦٢٣

#### العنوان

مستودع, منطقة مدار الصناعية  
طريق الملك خالد, الخبر  
بالقرب من منطقة الثقب الصناعية  
المملكة العربية السعودية

**خريطة الموقع:** ٢٦.٢٤٤٣, ٥٠.٢٠٠٣





## EQUIPMENT DIVISIONS (BAHRAIN)

### ACCESS PLATFORMS

- Articulated Boom Lifts/ Man Lifts
- Telescopic Boom Lifts/ Man Lifts
- Scissor Lifts (Diesel/ Battery)

### FORKLIFTS

- Forklifts (Diesel/ Battery/ LPG)
- Reach Trucks
- Telescopic Handlers (Loadall)

### FORMWORKS AND SCAFFOLDING

- Modular Formworks
- H-Beams (Wooden Girders)
- Circular Column Formworks
- Scaffolding Sets, and Jacks (Props)
- Proof Tested Scaffold Boards

### GENERATORS AND COMPRESSORS

- Generators (1 Phase/ 3 Phase)
- Air Compressors (Diesel/ Electric)
- Portable Fuel Tanks
- Lighting Towers

### HEAVY EQUIPMENT

- Compaction/ Rollers
- Cranes, Truck Cranes
- Earth Moving Equipment
- Trucks and Trailers
- Tankers

### LIGHT EQUIPMENT

- Cleaning and Cutting Equipment
- Electric Power Tools
- Fixing Tools
- Ladders and Lifting Equipment
- Compactor Plates and Concrete Vibrators
- Painting and Decorating Equipment
- Plumbing Equipment
- Rebar Bending and Cutting Equipment
- Water Pumps and Welding Equipment

### PORTABLE CABINS

- Portable Cabins, Guard Rooms
- Portable Toilets

### RAW MATERIALS

- Sale of Desert Fill, Stones, Sand, and Aggregates

### SKIPS

- Skip Bins/ Dumpsters
- Skip Loader Trucks
- Refuse Compactor Truck

### TRANSPORTATION AND LOGISTICS

- Transport of Equipment, and General Cargo
- Transport of Raw Materials

### QUALITY USED EQUIPMENT

- Sale of Used Power Tools, Generators, Compressors, Forklifts, Heavy Equipment, Skips, etc.

## أقسام المعدات (البحرين)

### الرافعات الشخصية المتنقلة

- رافعات سلة مفصليّة
- رافعات سلة تلسكوبية
- الرافعات المقصية (ديزل/ بطارية)

### الرافعات الشوكية

- الرافعات الشوكية (ديزل، بطارية، غاز)
- رفعات المخازن الشوكية
- رافعات المناولة التلسكوبية

### قوالب الخرسانة والسقالات

- قوالب المقاسات المتعددة
- دعائم الأسقف الخشبية
- القوالب الدائرية
- أطقم السقالات والدعائم الثابتة
- ألواح/ دوسات خشبية

### مولدات والضاغطات

- مولدات كهربائية 1 فيز، 3 فيز
- ضاغطات الهواء "كمبريسرات"
- خزانات ديزل متنقلة
- أبراج اللانارة

### المعدات الثقيلة

- محامل الطرق
- الرافعات المتنقلة
- معدات الحفر والنقل الثقيلة
- القاطرات والمقطورات
- الصهاريج

### المعدات الخفيفة

- معدات التنظيف، معدات التقطيع
- المعدات الكهربائية
- أدوات التصليح
- السلالم - معدات الرفع
- المعدات الداكة وهزارة الكونكريت
- معدات الصباغة والديكور
- معدات السباكة
- معدات تقويس ونقطيع حديد التسليح
- مضخات المياه - معدات اللحام

### الكبائن متنقلة

- كبائن متنقلة، كبائن الحراس
- مراحيض متنقلة

### المواد الخام

- بيع الدفان البري، الصخور، الرمل، الكونكريت

### حاويات المخلفات

- حاويات المخلفات
- شاحنات نقل الحاويات
- شاحنات كبس المخلفات

### النقل والخدمات اللوجستية

- نقل المعدات الثقيلة، وجميع أنواع البضائع
- نقل الدفان البري

### بيع المعدات المستعملة الممتازة

- بيع معدات كهربائية، رافعات شخصية، مولدات كهرباء، كمبريسرات، رافعات شوكية، معدات ثقيلة، حاويات الأنقاض، إلخ

