



## قسم المولدات والضاغطات Generators & Compressors Division



شركة أوال لتأجير المعدات  
Awal Equipment Hiring Company

[www.mister-machine.com](http://www.mister-machine.com)





## Generators & Compressors

055 878 1119, 055 733 3875



Ji9i  
awal

شركة اوال لتأجير المعدات  
Awal Equipment Hiring Company

24 Hours Maintenance  
050 083 3327

[www.mister-machine.com](http://www.mister-machine.com)

## GENERATORS

2) Three Phase Generators	6
3) Oilfield Equipment	12
4) Electric Accessories	14
5) Lighting Towers	15

## COMPRESSORS

3) Diesel Air Compressors 185 To 265 Cfm @ 7 bar	16
4) Diesel Air Compressors 390 To 750 Cfm @ 7 bar	18
5) Diesel Air Compressors 620 To 820 @ 8.6 bar	20
6) Diesel Air Compressors 830 @ 10.3 bar	22
7) Diesel Air Compressors 850 To 900 Cfm @ 8.6 bar	24
8) Diesel Air Compressors 920 Cfm @ 10.3 bar	26
9) Diesel Air Compressors 1030 To 1127 Cfm @ 8.6 bar	28

<b>PORTABLE FUEL TANKS</b>	30
----------------------------	----

# KINGDOM OF SAUDI ARABIA

EQUIPMENT DIVISIONS

## ACCESS PLATFORMS

053 533 3045, 055 733 3875

## FORKLIFTS

053 533 3045, 055 733 3875

## GENERATORS AND COMPRESSORS

055 733 3875, 050 079 3332

## HEAVY EQUIPMENT

053 533 3045, 055 733 3875

## WELDING EQUIPMENT

055 733 3875, 050 079 3332

## OILFIELD EQUIPMENT


055 733 3875, 050 079 3332

## TRANSPORTATION & LOGISTICS

050 079 3332, 053 533 3045

## QUALITY USED EQUIPMENT FOR SALE

055 888 4575, +973 3975 7554



# المملكة العربية السعودية

أقسام المعدات

## الرافعات الشخصية المتنقلة

٠٥٣ ٥٣٣ ٣٠٤٥ – ٠٥٥ ٧٣٣ ٣٨٧٥

## الرافعات الشوكية

٠٥٣ ٥٣٣ ٣٠٤٥ – ٠٥٥ ٧٣٣ ٣٨٧٥

## المولدات الكهربائية والضواغط

٠٥٥ ٧٣٣ ٣٨٧٥ – ٠٥٠ ٧٩٣٣٣٢

## المعدات الثقيلة

٠٥٣ ٥٣٣ ٣٠٤٥ – ٠٥٥ ٧٣٣ ٣٨٧٥

## معدات اللحام

٠٥٥ ٧٣٣ ٣٨٧٥ – ٠٥٠ ٧٩٣٣٣٢

## معدات حقول النفط

٠٥٥ ٧٣٣ ٣٨٧٥ – ٠٥٠ ٧٩٣٣٣٢

## النقل والخدمات اللوجستية

٠٥٠ ٧٩٣٣٣٢ – ٠٥٣ ٥٣٣ ٣٠٤٥

## بيع المعدات المستعملة الممتازة

٠٥٥ ٨٨٨ ٤٥٧٥ – +٩٧٣ ٣٩٧٥ ٧٥٥٤

**24 Hours Hotline:** 055 878 1119

Email: awal@mister-machine.com

Website: www.mister-machine.com

## Al Khobar Branch

Tel: 013 808 4412, 013 808 4413

013 808 4415, 013 808 4419

P.O. Box: 8146, Al Khobar 34623

## Address

Warehouse, Madar Industrial Area

King Khalid Road, Al Khobar,

Near Al Thuqba Industrial Area

Kingdom of Saudi Arabia

**GPS Map:** [26.2443, 50.2003](#)

**الخط الساخن ٢٤ ساعة:** ٠٥٥ ٨٧٨ ١١١٩

Email: awal@mister-machine.com

Website: www.mister-machine.com

## فرع الخبر

هاتف: ٠١٣ ٨٠٨ ٤٤١٢ – ٠١٣ ٨٠٨ ٤٤١٣

٠١٣ ٨٠٨ ٤٤١٥ – ٠١٣ ٨٠٨ ٤٤١٩

ص.ب: ٨١٤٦، الخبر ٣٤٦٢٣

## العنوان


مستودع، منطقة مدار الصناعية

طريق الملك خالد، الخبر

بالقرب من منطقة الثقبة الصناعية

المملكة العربية السعودية

**خريطة تحديد الموقع:** [٢٦.٢٤٤٣,٥٠.٢٠٠٣](#)



GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators, All our Equipment are the latest models.
- **COMPLETE:** The Complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز هادئة

Generator Standby Rating (KVA)	Prime Power Rating				Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating diesel consumption (Liters / HR)		
	KVA	KW	Amps per phase at 380/220 V	Amps per phase at 220/127 V			100%	75%	50%
21.3	19.4	15.5	29.5	50.9	706	45	5.2	4.1	3.1
25.0	22.5	18.0	34.2	59.0	719	45	5.8	4.5	3.3
26.8	24.2	19.4	36.8	63.5	955	190	7.5	5.6	3.9
37.5	33.8	27.0	51.4	88.7	1,095	230	8.1	6.2	4.7
44.0	40.0	32.0	60.8	105.0	1,060	330	10.9	7.9	5.5
50.1	45.3	36.2	68.8	118.9	1,070	330	12.9	9.7	6.9
62.5	56.3	45.0	85.5	147.7	1,245	245	13.3	10.4	7.9
75.0	68.8	55.0	104.5	180.6	1,315	245	15.4	11.7	8.4
100.0	90.0	72.0	136.7	236.2	1,435	245	21.4	16.3	11.6

**IMPORTANT NOTES:**

- **Power Calculations:** Many factors affect the maximum load capacity of gensets including ambient temperature, type of load, etc. We recommend you base your maximum load at 75% of the prime power ratings.
- **Voltage, Frequency:** Our Electricity Generators are tuned to Saudi voltage & frequency as follows:
  - Voltage Line to Line = 380 Volts, Voltage Line to Neutral = 220 Volts
  - Frequency = 60HZ, Power Factor = 0.8
  - Generators may be converted to other voltage / frequency after prior arrangement.
- **External Fuel Tanks:** Gensets may be rented with external fuel tanks to avoid power interruptions caused by empty genset fuel tank and reduce the number of fillings required.
- **Trailers:** Gensets may be rented with mobile trailers, to simplify delivery.
- **Electrical Accessories:** >> See separate section.



# المولدات الكهربائية ELECTRICITY GENERATORS



GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز هادئة

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators, All our Equipment are the latest models.
- **COMPLETE:** The Complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز هادئة

Generator Standby Rating (KVA)	Prime Power Rating				Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating diesel consumption (Liters / HR)		
	KVA	KW	Amps per phase at 380/220 V	Amps per phase at 220/127 V			100%	75%	50%
125.0	113.0	90.4	171.7	296.5	1,725	300	26.3	19.9	14.2
165.0	150.0	120.0	227.9	393.6	2,340	375	37.3	29.1	20.5
217.5	196.3	157.0	298.2	515.2	2,890	550	44.5	35.5	27.3
250.0	225.0	180.0	341.9	590.5	2,890	550	56.6	44.6	30.7
265.0	240.0	192.0	364.6	629.8	2,890	550	54.9	45.9	35.5

**IMPORTANT NOTES:**

- **Power Calculations:** Many factors affect the maximum load capacity of gensets including ambient temperature, type of load, etc. We recommend you base your maximum load at 75% of the prime power ratings.
- **Voltage, Frequency:** Our Electricity Generators are tuned to Saudi voltage & frequency as follows:
  - Voltage Line to Line = 380 Volts, Voltage Line to Neutral = 220 Volts
  - Frequency = 60HZ, Power Factor = 0.8
  - Generators may be converted to other voltage / frequency after prior arrangement.
- **External Fuel Tanks:** Gensets may be rented with external fuel tanks to avoid power interruptions caused by empty genset fuel tank and reduce the number of fillings required.
- **Trailers:** Gensets may be rented with mobile trailers, to simplify delivery.
- **Electrical Accessories:** >> See separate section.



المولدات الكهربائية  
ELECTRICITY GENERATORS



GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز هادئة

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Electricity Generators, All our Equipment are the latest models.
- **COMPLETE:** The Complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

GENERATORS 3 PHASE IN SILENCE CANOPY

المولدات الكهربائية - ٣ فيز هادئة

Generator Standby Rating (KVA)	Prime Power Rating				Operating Weight (KG)	Diesel Tank Capacity (Liters)	Prime Rating diesel consumption (Liters / HR)		
	KVA	KW	Amps per phase at 380/220 V	Amps per phase at 220/127 V			100%	75%	50%
313	281.0	224.8	426.9	737.4	4,800	691	62.5	45.9	31.0
375	344.0	275.2	522.7	902.8	4,800	900	79.6	61.6	44.7
440	400.0	320.0	607.7	1,049.7	5,430	900	91.6	69.8	50.1
625	569.0	455.2	864.5	1,493.2	7,500	900	117.3	90.4	64.6
754	681.0	544.8	1,034.7	1,787.2	8,500	Nil	154.0	118.0	84.0
1107	906.0	724.8	1,376.5	2,377.6	13,200	3,100	198.8	150.6	106.5
1264	1138.0	910.4	1,729.0	2,986.5	16,300	3,400	238.6	179.2	125.8

**IMPORTANT NOTES:**

- **Power Calculations:** Many factors affect the maximum load capacity of gensets including ambient temperature, type of load, etc. We recommend you base your maximum load at 75% of the prime power ratings.
- **Voltage, Frequency:** Our Electricity Generators are tuned to Saudi voltage & frequency as follows:
  - Voltage Line to Line = 380 Volts, Voltage Line to Neutral = 220 Volts
  - Frequency = 60HZ, Power Factor = 0.8
  - Generators may be converted to other voltage / frequency after prior arrangement.
- **External Fuel Tanks:** Gensets may be rented with external fuel tanks to avoid power interruptions caused by empty genset fuel tank and reduce the number of fillings required.
- **Trailers:** Gensets may be rented with mobile trailers, to simplify delivery.
- **Electrical Accessories:** >> See separate section.

# المولدات الكهربائية ELECTRICITY GENERATORS



# معدات حقول النفط OILFIELD EQUIPMENT

Oilfield Diesel Tank

2300 Ltrs



معدات حقول النفط  
OILFIELD EQUIPMENT

Offshore Frame W/Drip Tray

Payload 2000kg, 3000kg, 5000kg, 5500kg, 7000kg



## ELECTRICAL ACCESSORIES

## الملحقات الكهربائية

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable electrical accessories, All our Equipment are the latest models.
- **COMPLETE:** The Complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

**1. CABLE DRUMS**

- Cable Drum, Steel: D 850mm with pallet 1.0x 1.0m
- Cable Drum, Steel: D 1,100 mm with pallet 1.2x 1.2m

**2. EXTENSION CABLE DRUM**

- Extension Cable Drum, 3Core: 1.0mm x 5m, 2 outlet
- Extension Cable Drum, 3Core: 1.5mm x 10m, 3 outlet
- Extension Cable Drum, 3Core: 1.5mm x 25m, 3 outlet
- Extension Cable Drum, 3Core: 1.5mm x 50m, 3 outlet

**3. CHANGE - OVER SWITCHES****4. DISTRIBUTION BOARDS****5. ELECTRIC CABLES >> see separate section.**

LIGHTING TOWERS

أبراج إنارة

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Lighting Towers, All our Equipment are the latest models.
- **COMPLETE:** The Complete answer to all your Electric Power needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Our Lighting towers are the best answer to all your night time activities. Its 9kW lighting power turns into day on any construction site, emergency night-time work, etc.

Lighting Tower fully raised height: 9 METERS.  
Total Lighting Power: 5.1kW (4 \* 1000 WATTS).

**SAFETY:**

Please take due care while raising and lowering the lighting tower mast.



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء الديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Diesel Air Compressor Name	Air Compressor Diesel: 185cfm, 7.0bar	Air Compressor Diesel: 265Cfm, 7.0Bar
Maker / Model	Airman PDS185S	Airman PDS265S
Actual free Air Delivery	5.0 m3/min (185 cfm)	7.5 m3/min (265 cfm)
Rated Operating Pressure	7.0 bar (102 psi)	7.0 bar (102 psi)
Max. Working pressure	10.0 bar (145 psi)	10.0 bar (145 psi)
Air Outlets	3/4" (20mm) x 2pcs	2" (50mm) x 1pc 3/4" (20mm) x 4pcs
Engine Type	Diesel	Diesel
Fuel Tank Capacity	90	115
Dimensions & Weight		
Overall Length	2,960 mm	3,020 mm
Overall Width	1,650 mm	1,630 mm
Overall Height	1,430 mm	1,715 mm
Operating weight	960 kg	1,460 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: 3/4", 1 1/2", 2", 2 1/2"
  - Air Receivers: 1000, 3000 Liters.





ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء ديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 390cfm, 7.0bar	Air Compressor Diesel: 750cfm, 7.0bar
Maker / Model	Airman PDS390S	Airman PDS750S
Actual free Air Delivery	11.0 m3/min (390 cfm)	21.2 m3/min (750 cfm)
Rated Operating Pressure	7.0 bar (102 psi)	7.0 bar (102 psi)
Max. Working pressure	10.0 bar (145 psi)	10.0 bar (145 psi)
Air Outlets	2" (50mm) x 1pc 3/4" (20mm) x 4pcs	2" (50mm) x 1pc 3/4" (20mm) x 2pcs
Engine Type	Diesel	Diesel
Fuel Tank Capacity	180	310 kg
Dimensions & Weight		
Overall Length	3,875 mm	3,650 mm
Overall Width	1,800 mm	1,685 mm
Overall Height	1,780 mm	2,070 mm
Operating weight	2,040 kg	3,300 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: ¾", 1½", 2", 2½"
  - Air Receivers: 1000, 3000 Liters.



ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء ديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 620cfm, 8.6bar, aftercooler	Air Compressor Diesel: 820cfm,8.6bar aftercooler
Maker / Model	Atlas Copco XAMS286	Atlas Copco XAMS376
Actual free Air Delivery	17.0 m <sup>3</sup> /min (619 cfm)	23.2 m <sup>3</sup> /min (820 cfm)
Rated Working Pressure	8.6 bar (125 psi)	8.6 bar (125 psi)
Max. Working pressure		
<b>After-cooler package</b>	<b>After-cooler, Water-separator</b>	<b>After-cooler, Water-separator</b>
Air Outlets	2" (50mm) x 1pcs 3/4" (20mm) x 1pcs	2" (50mm) x 1pcs 3/4" (20mm) x 1pcs
Engine Type	Diesel	Diesel
Fuel Tank Capacity	254	425 Liters
Dimentions & Weight		
Overall Length	4,604 mm	4,910 mm(tow-bar raised)
Overall Width	1,950 mm	2,140 mm
Overall Height	1,974 mm	2,462 mm
Operating weight	2,900 kg	4,910 mm

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **After-cooler package:** Many of our compressors are supplied complete with after-coolers and water-separators to reduce the outlet air temperature and water content. This package is very useful in many applications including shot blasting, painting jobs.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: ¾", 1½", 2", 2½"
  - Air Receivers: 1000, 3000 Liters.



ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء الديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 830cfm, 10.3bar
Maker / Model	Airman PDSF830S-4B1
Actual free Air Delivery	23.5 m <sup>3</sup> /min (830 cfm)
Rated Working Pressure	10.34 bar (150 psi)
Max. Working pressure	12.7 bar (184.2 psi)
<b>After-cooler package</b>	<b>Not included</b>
Air Outlets	2" (50mm) x 2pcs. 3/4" (20mm) x 1pc.
Engine Type	Diesel
Fuel Tank Capacity	400 Liters
Dimentions & Weight	
Overall Length	4,000 mm (tow-bar raised)
Overall Width	1,900 mm
Overall Height	2,150 mm
Operating weight	4,600 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **After-cooler package:** Many of our compressors are supplied complete with after-coolers and water-separators to reduce the outlet air temperature and water content. This package is very useful in many applications including shot blasting, painting jobs.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: 3/4", 1 1/2", 2", 2 1/2"
  - Air Receivers: 1000, 3000 Liters.



ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء ديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 850cfm, 8.6bar aftercooler	Air Compressor Diesel: 900cfm, 8.6bar
Maker / Model	Atlas Copco XAMS 850CD7	Airman PDSE900S-4B1
Actual free Air Delivery	24.0 m3/min (848 cfm)	25.0 m3/min (900 cfm)
Rated Working Pressure	8.6 bar (125 psi)	8.6 bar (125 psi)
Max. Working pressure		
<b>After-cooler package</b>	<b>After-cooler, Water-separator</b>	<b>None</b>
Air Outlets	2" (50mm) x 1pcs 3/4" (20mm) x 1pcs	2" (50mm) x 2pcs 3/4" (20mm) x 1pcs
Engine Type	Diesel	Diesel
Fuel Tank Capacity	275 Liters	400 Liters
Dimentions & Weight		
Overall Length	5,074 mm	4,000 mm (tow-bar raised)
Overall Width	2,000 mm	1,900 mm
Overall Height	2,090 mm	2,150 mm
Operating weight	3,296 kg	4,600 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **After-cooler package:** Many of our compressors are supplied complete with after-coolers and water-separators to reduce the outlet air temperature and water content. This package is very useful in many applications including shot blasting, painting jobs.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: ¾", 1½", 2", 2½"
  - Air Receivers: 1000, 3000 Liters.





ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضواغط هواء بالديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 920cfm,10.3bar	Air Compressor Diesel: 920cfm, 10.3bar, aftercooler
Maker / Model	Airman PDSF920S-4B3	Airman PDSF920SC-4B3
Actual free Air Delivery	26.0 m3/min (920 cfm)	26.0 m3/min (920 cfm)
Rated Working Pressure	10.34 bar (150 psi)	10.34 bar (150 psi)
Max. Working pressure	12.7 bar (184.2 psi)	12.7 bar (184.2 psi)
<b>After-cooler package</b>	<b>None</b>	<b>After-cooler, Water-separator</b>
Air Outlets	2" (50mm) x 3pcs 3/4" (20mm) x 1pcs	2" (50mm) x 3pcs 3/4" (20mm) x 1pcs
Engine Type	Diesel	Diesel
Fuel Tank Capacity	400 Liters	400 Liters
Dimentions & Weight		
Overall Length	4,604 mm (tow-bar raised)	4,604 mm (tow-bar raised)
Overall Width	1,900 mm	1,900 mm
Overall Height	2,150 mm	2,150 mm
Operating weight	4,750 kg	4,800 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **After-cooler package:** Many of our compressors are supplied complete with after-coolers and water-separators to reduce the outlet air temperature and water content. This package is very useful in many applications including shot blasting, painting jobs.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: ¾", 1½", 2", 2½"
  - Air Receivers: 1000, 3000 Liters.



ضاغطات الهواء  
AIR COMPRESSORS



## AIR COMPRESSORS DIESEL

## ضغوطات الهواء ديزل

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Air Compressors, All our Equipment are the latest models.
- **COMPLETE:** The complete answer to all your compressed air needs.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

Air Compressor Name	Air Compressor Diesel: 1030cfm,8.6bar,aftercooler	Air Compressor Diesel: 1127cfm,8.6bar w/aftercooler
Maker / Model	Atlas Copco XAMS 486	Atlas Copco XAMS527CD
Actual free Air Delivery	29.2 m3/min (1032 cfm)	31.9 m3/min (1127 cfm)
Rated Working Pressure	8.6 bar (125 psi)	8.6 bar (125 psi)
Max. Working pressure		
<b>After-cooler package</b>	<b>After-cooler, Water-separator</b>	<b>After-cooler, Water-separator</b>
Air Outlets	2½" (63.5mm) x 1pc. ¾" (20mm) x 1pc.	2½" (63.5mm) x 1pc. ¾" (20mm) x 1pc.
Engine Type	Diesel	Diesel
Fuel Tank Capacity	425 Liters	796 Liters
Dimensions & Weight		
Overall Length	4,910 mm (tow-bar raised)	4,900 mm (tow-bar raised)
Overall Width	2,140 mm	2,140 mm
Overall Height	2,462 mm	2,500 mm
Operating weight	5,162 kg	6,296 kg

**IMPORTANT NOTES:**

- **Power Calculations:** We recommend you to base your maximum load at 75% of the Actual free Air Delivery.
- **After-cooler package:** Many of our compressors are supplied complete with after-coolers and water-separators to reduce the outlet air temperature and water content. This package is very useful in many applications including shot blasting, painting jobs.
- **Air Pressure:** All compressors are fitted with a regulating valve, which can be easily adjusted to set the required working pressure.
- **External Fuel Tanks:** Air Compressor may be rented with external fuel tanks to avoid power interruptions caused by empty compressor fuel tank and reduce the number of fillings required.
- **Accessories:**
  - Air Hoses: ¾", 1½", 2", 2½"
  - Air Receivers: 1000, 3000 Liters.



ضاغطات الهواء  
AIR COMPRESSORS



EXTERNAL FUEL TANK

خزانات الوقود المتنقلة

**MISTER MACHINE®**

- **QUALITY EQUIPMENT HIRE:** Hiring the best performance, most reliable Equipment, All our Equipment are the latest models.
- **COMPETITIVE HIRE RATES:** The Best Quality and Hire Rates in Kingdom of Saudi Arabia.

	Portable Tank: 1,400 Liters	Portable Tank: 2,500 Liters
Capacity	1400 Liter	2500 Liter
Overall Length	1525 mm	2275 mm
Overall Width	1250 mm	1250 mm
Overall Height	1550 mm	1525 mm
Unlade Weight	600 kg	900 kg
No. of Connections	1 Connection	2 Connection

	Portable Tank: 5,000 Liters	Portable Tank: 10,000 Liters
Capacity	5000 Liter	10000 Liter
Overall Length	3020 mm	4500 mm
Overall Width	1220 mm	1500 mm
Overall Height	2120 mm	2125 mm
Unlade Weight	1,400 kg	2300 kg
No. of Connections	2 Connection	2 Connection

**IMPORTANT NOTES:**

- All our Fuel Tanks can be lifted by using crane or forklifts.
- As Safety point of view, during the fuel filling the spill will be inside the tank as designed.



خزانات ديزل متنقلة  
EXTERNAL FUEL TANK









مستر مشين  
Mister Machine  
Quality Equipment Hire خدمات تأجير متميزة

## KINGDOM OF BAHRAIN

CONTACT DETAILS

### ACCESS PLATFORMS

+973-1770 8177, 1770 8170

### FORKLIFTS

+973-1770 8177, 1770 5052

### GENERATORS AND COMPRESSORS

+973-1770 8168, 1770 5059

### HEAVY EQUIPMENT

+973-1770 8177, 1770 8170

### LIGHT EQUIPMENT

+973-1770 8168, 1770 5059

### FORMWORK AND SCAFFOLDING

+973-1770 8168, 1770 5059

### PORTABLE CABINS

+973-1770 8168, 1770 5059

### SKIPS

+973-1770 5085, 3979 7404

### TRANSPORTATION AND LOGISTICS

+973-1770 8177, 1770 8168

### WELDING EQUIPMENT

+973-1770 8168, 1770 5059

### QUALITY USED EQUIPMENT FOR SALE

+973-3975 7554, 1770 8173, 3656 6144,  
+966 55 888 4575

## مملكة البحرين

بيانات الاتصال

### الرافعات الشخصية المتنقلة

+973-1770 8177, 1770 8170

### الرافعات الشوكية

+973-1770 8177, 1770 5052

### المولدات الكهربائية والضواغط

+973-1770 8168, 1770 5059

### المعدات الثقيلة

+973-1770 8177, 1770 8170

### المعدات الخفيفة

+973-1770 8168, 1770 5059

### القوالب والسقالات

+973-1770 8168, 1770 5059

### كباين متنقلة

+973-1770 8168, 1770 5059

### حاويات الأنقاض

+973-1770 5085, 3979 7404

### النقل والخدمات اللوجستية

+973-1770 8177, 1770 8168

### معدات اللحام

+973-1770 8168, 1770 5059

### بيع المعدات المستعملة الممتازة

+973-3975 7554, 1770 8173, 3656 6144,  
+966 55 888 4575



## BAHRAIN BRANCHES

### Ma'ameer

Tel: +973 1770 5059, 1770 8168

Fax: +973 1770 0086

Location: Bldg. 541, Rd.3417 Blk. 634, Maameer

Industrial Area

GPS Map: 26.1267, 50.6050

### Hidd

Tel: +973 1734 5020, 1770 5057

Location Bldg. 620 B, Rd 106, Blk. HIDD 101

GPS (map) 26.2562, 50. 6698

### Manama

Tel: +973 1724 0166

Fax: +973 1724 0155

Location: Shop 313, R. 336, Bll. 311, Manama

GPS Map: 26.2226, 50.5711

### Ras Zuwayed

Tel: +973 1770 6019, +973 1770 8177

Fax: +973 1770 3050

Location: Bldg. 49, Ave. 52, Blk. 952, Ras Zuwayed

GPS Map: 26.0792, 50.6238

## EQUIPMENT DIVISION (SAUDI ARABIA)

## أقسام المعدات (السعودية)

### ACCESS PLATFORMS

- Articulated Boom Lifts/Man Lifts
- Telescopic Boom Lifts/ Man Lifts
- Scissor Lifts (Diesel/Battery)

### الرافعات الشخصية المتنقلة

- رافعات سلة مفصلية
- رافعات سلة تلسكوبية
- الرافعات المقصية (ديزل / بطارية)

### FORKLIFTS

- Forklifts (Diesel/battery/LPG)
- Reach Trucks
- Telescopic Handlers (Loadall)

### الرافعات الشوكية

- الرافعات الشوكية (ديزل / بطارية/غاز)
- رافعات المخازن الشوكية
- رافعات المناولة التلسكوبية

### GENERATORS AND COMPRESSORS

- Generators (1 Phase/3 Phase)
- Air Compressors (Diesel/Electric)
- Portable Fuel Tanks
- Lighting Towers

### المولدات والضغوطات

- مولدات كهربائية ( ١ فيز / ٣ فيز )
- ضغوطات الهواء " كمبريسرات"
- خزانات ديزل متنقلة
- أبراج الإنارة

### HEAVY EQUIPMENT

- Compaction/Rollers
- Cranes, Truck Cranes
- Earth Moving Equipment
- Trucks and Trailers
- Tankers

### المعدات الثقيلة

- مداخل الطرق
- الرافعات المتنقلة
- معدات الحفر والنقل الثقيلة
- القاطرات والمقطورات
- الصهاريج

### TRANSPORTATION AND LOGISTICS

- Transport of Equipment and General Cargo
- Transport of Raw Materials

### النقلات و الخدمات اللوجستية

- نقل المعدات الثقيلة وجميع أنواع البضائع
- نقل الدفان البري

### WELDING EQUIPMENT

- Welding Generators
- Welding Invertors
- Welding Transformers
- Welding Rectifiers
- Plasma Arc Cutters



### معدات اللحام

- مولدات اللحام
- محولات اللحام
- عواكس اللحام
- مقومات اللحام
- قواطع قوس البلازما

### OILFIELD EQUIPMENT

- Offshore
- Onshore

### معدات حقول النفط

- المعدات البحرية
- المعدات البرية

### QUALITY USED EQUIPMENT FOR SALE

- Sale of Used Power Tools, Access Platforms, Electric Generators, Compressors, Forklifts, Heavy Equipment, Skips etc..

### بيع المعدات المستعملة الممتازة

- بيع معدات كهربائية، رافعات شخصية، مولدات كهربائية، كمبريسرات، رافعات شوكية، معدات ثقيلة، حاويات الأنقاض، إلخ