



# الرافعات الشخصية المتحركة

## ACCESS PLATFORMS DIVISION



[www.mister-machine.com](http://www.mister-machine.com)





## Access Platforms

055 733 3875, 055 853 3354



شركة آوال لتأجير المعدات  
Awal Equipment Hiring Company

Maintenance Hotline  
050 083 3327

[www.mister-machine.com](http://www.mister-machine.com)

## Details

## التفاصيل

Contact Details (Saudi Arabia)	4	أرقام الإتصال (السعودية)
Location Maps (Saudi Arabia)	5	خريطة الموقع (المملكة العربية السعودية)
Articulated Boom Lifts - Diesel	6	رافعات سلة مفصليّة - ديزل
Articulated Boom Lifts - Hybrid	12	رافعات سلة مفصليّة - هجين
Telescopic Boom Lifts - Diesel	16	رافعات أشخاص تلسكوبية - ديزل
Scissor Lifts - Electric	22	رافعات أشخاص مفصليّة - كهربائية
Scissor Lifts - Diesel	26	رافعات مقصية - ديزل
Notes	30	ملاحظات
Contact Details (Bahrain)	31	أرقام الإتصال (مملكة البحرين)

# KINGDOM OF SAUDI ARABIA

## EQUIPMENT DIVISIONS

### ACCESS PLATFORMS

055 733 3875, 055 853 3354

### FORKLIFTS

055 733 3875, 055 853 3354

### GENERATORS AND COMPRESSORS

055 733 3875

### HEAVY EQUIPMENTS

055 853 3354

### TRANSPORTATION AND LOGISTICS

055 853 3354

### QUALITY USED EQUIPMENTS

055 888 4575

# المملكة العربية السعودية

## أقسام المعدات

### الرافعات الشخصية المتنقلة

٠٥٥ ٨٥٣ ٣٣٥٤ - ٠٥٥ ٧٣٣ ٣٨٧٥

### الرافعات الشوكية

٠٥٥ ٨٥٣ ٣٣٥٤ - ٠٥٥ ٧٣٣ ٣٨٧٥

### المولدات الكهربائية والضواغط

٠٥٥ ٧٣٣ ٣٨٧٥

### المعدات الثقيلة

٠٥٥ ٨٥٣ ٣٣٥٤

### النقل والخدمات اللوجستية

٠٥٥ ٨٥٣ ٣٣٥٤

### معدات مستخدمة ممتازة

٠٥٥ ٨٨٨ ٤٥٧٥

**24 Hours Hotline:** 055 878 1119  
Email: awal@mister-machine.com  
Website: www.mister-machine.com

**الخط الساخن ٢٤ ساعة:** ٠٥٥ ٨٧٨ ١١١٩  
awal@mister-machine.com  
www.mister-machine.com

### Al Khobar Branch

Tel : 013 808 4412, 013 808 4413  
013 808 4415, 013 808 4419  
P.O. Box: 8146, Al Khobar 34623

**فرع الخبر**  
هاتف: ٠١٣ ٨٠٨ ٤٤١٢ - ٠١٣ ٨٠٨ ٤٤١٣  
٠١٣ ٨٠٨ ٤٤١٥ - ٠١٣ ٨٠٨ ٤٤١٩  
ص.ب: ٨١٤٦, الخبر ٣٤٦٢٣

### Address

Warehouse, Madar Industrial Area  
King Khalid Road, Al Khobar,  
Near Al Thuqba Industrial Area  
Kingdom of Saudi Arabia

**GPS Map:** 26.2443, 50.2003




055 733 3875

055 853 3354

### العنوان

مستودع, منطقة مدار الصناعية  
طريق الملك خالد, الخبر  
بالقرب من منطقة الثقبة الصناعية  
المملكة العربية السعودية  
خريطة تحديد الموقع: ٢٦.٢٤٤٣, ٥٠.٢٠٠٣





## Articulating Boom Lift - Diesel

## رافعات سلة مفصلية - ديزل

**MISTER MACHINE**®

- **Quality Equipment Hire:** Hiring the best performance, most reliable access platforms at competitive hire rates. All our boom lifts are the latest models.
- **Articulated Boom Lifts (Man Lifts):** Give you the extra reach you need to work over and around obstacles on the job site. They offer exceptional outreach, versatile performance and larger work envelopes provide you with access to those hard-to-reach places.

Access Platform Type	Articulating Boom Lift 227Kg,Work Height 16.1M With Jib	Articulating Boom Lift 227Kg,Work Height 20.4M With Jib
Maker / Model	Genie Z45/25J RT (4x4)	Genie Z60/34 (4x4) IC
Working Height	16.07 m (52 ft 2 in)	20.39 m (66 ft 4 in)
Platform Height	14.07 m (46 ft 2 in)	18.39 m (60 ft 4 in)
Horizontal reach maximum	7.65 m (25 ft 1 in)	11.05 m (36 ft 3 in)
Up-and-over clearance maximum	7.16 m (23 ft 6 in)	8.23 m (27 ft)
Platform Length	0.76 m (2 ft 6 in)	0.91 m (3 ft)
Platform Width	1.83 m (6 ft)	2.44 m (8 ft)
Height - Stowed	2.11 m (6 ft 11 in)	2.69 m (8 ft 10 in)
Length - Stowed	6.83 m (22 ft 5 in)	8.15 m (26 ft 9 in)
Overall Width	2.29 m (7 ft 6 in)	2.46 m (8 ft 1 in)
PRODUCTIVITY		
Platform capacity	227 kg	227 kg
Platform occupancy	2 Person	2 Person
Platform rotation	160 degrees	180 degrees
Vertical jib rotation	135 degrees	90 degrees
Drive Speed - Stowed	8.0 km/h	4.8 km/h
Drive Speed - Raised	1.1 km/h	1.1 km/h
Gradeability - Stowed	45 %	40 %
Turning Radius - Inside	1.70 m	3.04 m
Turning Radius - Outside	4.5 m	6.07 m
POWER & WEIGHT		
Engine Type	Diesel engine	Diesel engine
Fuel Tank Capacity	64.4 L	75 lit
Gross Weight	6,924 kg	11,231 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV

# رافعات سلة مفصلية Articulated Boom Lifts



## SAFETY NOTES:

- All our access platforms have foam filled tyres for safety.
- Our access platforms are built to meet the highest standards of safety, reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

7



Access Platforms

## Articulating Boom Lifts - Diesel

## رافعات سلة مفصلية - ديزل

**MISTER MACHINE®**

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at competitive hire rates. All our boom lifts are the latest models.
- **Articulated Boom Lifts (Man Lifts):** give you the extra reach you need to work over and around obstacles on the job site. They offer exceptional outreach, versatile performance and larger work envelopes provide you with access to those hard-to-reach places.

Access Platform Name	Articulating Boom Lift 227kg, Work Height 25.6m with Jib
Maker / Model	Genie Z80/60 (4x4)
Working Height	25.77 m (84 ft)
Platform Height	23.77 m (78 ft)
Horizontal reach maximum	18.29 m (60 ft)
Up-and-over clearance maximum	8.83 m (29 ft)
Platform Length	0.91 m (3 ft)
Platform Width	2.44 m (8 ft)
Height - Stowed	3.0 m (9 ft 10 in)
Length - Stowed	11.27 m (37 ft)
Overall Width	2.49 m (8 ft 2 in)
PRODUCTIVITY	
Platform capacity	227 kg
Platform occupancy	2 Person
Platform rotation	160 degrees
Vertical jib rotation	135 degrees
Drive Speed - Stowed	4.83 km/h
Drive Speed - Raised	1.1 km/h
Gradeability - Stowed	45 %
Turning Radius - Inside	4.42 m
Turning Radius - Outside	7.47 m
POWER & WEIGHT	
Engine Type	Diesel engine
Fuel Tank Capacity	132 L
Gross Weight	16,284 kg
CERTIFICATION	
Certification Co.	Bureau Veritas / TUV



# رافعات سلة مفصلية Articulated Boom Lifts



## SAFETY NOTES:

- All our access platforms have foam filled tyres for safety.
- Our access platforms are built to meet the highest standards of safety, reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

## Articulated Boom Lifts - Diesel

## رافعات سلة مفصلية - ديزل

**MISTER MACHINE** ®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Articulated boom lifts (Man Lifts):** Give you the extra reach you need to work over and around obstacles on the job site. They offer exceptional outreach, versatile performance and Larger work envelopes provide you with access to those hard-to-reach places.

Access Platform Name		Articulating Boom Lift: 272kg, Work Ht 43.1m with Jib
Maker / Model		Genie ZX-135/70 (4x4)
Working Height		43.15 m (141 ft)
Platform Height		41.15 m (135 ft)
Horizontal reach maximum	Riser extended	18.03 m (59 ft 2 in)
	Riser retracted	21.26 m (69 ft 9 in)
Up-and-over clearance maximum	Riser extended	23.01 m (75 ft 6 in)
	Riser retracted	9.91 m (32 ft 6 in)
Platform Length		0.91 m (3 ft)
Platform Width		2.44 m (8 ft)
Height - Stowed		3.09 m (10 ft 2 in)
Length - Stowed		12.93 m (42 ft 5 in)
Overall Width	Axle extended	3.94 m (12 ft 11 in)
	Axle retracted	2.49 m (8 ft 2 in)
<b>PRODUCTIVITY</b>		
Platform capacity		272 kg
Platform occupancy		2 Person
Platform rotation		160 degrees
Vertical jib rotation		110 degrees
Drive Speed - Stowed		4.8 km/h
Drive Speed - Raised		1.1 km/h
Gradeability - Stowed		45 %
Inside turning radius:	Axle extended	2.9 m
	Axle retracted	8.03 m
Outside turning radius:	Axle extended	6.17 m
	Axle retracted	9.96 m
<b>POWER &amp; WEIGHT</b>		
Engine Type		Diesel engine
Fuel Tank Capacity		151.4 L
Gross Weight		21,092 kg
<b>CERTIFICATION</b>		
Certification Co.		Bureau Veritas / TUV

# رافعات سلة مفصليّة Articulated Boom Lifts



## NOTES:

- All our access platforms have foam filled tyres for safety.
- Our access platforms are built to meet the highest standards of safety, reliability and are in excellent working conditions with Certified Performance.
- Keywords: Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Access Platforms, Access Machines, Cherry pickers, Man Lifts, lifter, Aerial work platforms, Articulated boom lifts, articulating manlift, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba Industrial Area.

## Articulated Boom Lifts - Hybrid

## رافعات سلة مفصلية - هجين

**MISTER MACHINE®**

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Articulated boom lifts (Man Lifts):** Give you the extra reach you need to work over and around obstacles on the job site. They offer exceptional outreach, versatile performance and Larger work envelopes provide you with access to those hard-to-reach places.
- **Hybrid Technology:** Give you the choice of diesel engine supported by the machine's battery pack for when extra power is needed or electric-only mode allows zero-emission operation, making it ideal for indoor use, or for quiet, clean operation.

Access Platform Name	Articulating Boom Lift: Hybrid, 225kg, Work 17.2m, Jib	Articulating Boom Lift: Hybrid, 225kg, Work 20.8m, Jib
Maker / Model	Nifty HR17 (4x4)	Nifty HR21 (4x4)
Working Height	17.2 m (56 ft 6 in)	20.8 m (68 ft 6 in)
Platform Height	15.2 m (50 ft)	18.8 m (62 ft)
Horizontal outreach	9.4 m (31 ft)	12.8 m (42 ft)
Platform Length	0.85 m (2 ft 9 in)	0.85 m (2 ft 9 in)
Platform Width	1.8 m (5 ft 11 in)	1.8 m (5 ft 11 in)
Height - Stowed	2.1 m (6 ft 11 in)	2.15 m (7 ft)
Length - Transport	4.8 m (15 ft 9 in)	5.3 m (17 ft 5 in)
Length - Travel	6.35 m (20 ft 10 in)	6.7 m (22 ft)
Overall Width	2.0 m (6 ft 7 in)	2.27 m (7 ft 5 in)
PRODUCTIVITY		
Platform capacity	225 kg	225 kg
Platform occupancy	2 Person	2 Person
Platform rotation	180 degrees	100 degrees
Vertical jib rotation	150 degrees	150 degrees
Drive Speed - Stowed	6.0 km/h	4.5 km/h
Drive Speed - Raised	km/h	km/h
Gradeability - Stowed	45 % (24 degrees)	40 % (22 degrees)
Turning Radius - Outside	3.7 m (12 ft 2 in)	4.0 m (13 ft)
POWER & WEIGHT		
Engine Type	Hybrid - Battery & Diesel	Hybrid - Battery & Diesel
Fuel Tank Capacity		
Gross Weight	5,000 kg	6,660 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV

# رافعات سلة مفصلية Articulated Boom Lifts



## NOTES:

All our access platforms have foam filled tyres for safety.

Our access platforms are built to meet the highest standards of safety, reliability and are in excellent working conditions with Certified Performance.

- Keywords: Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Access Platforms, Access Machines, Cherry pickers, Man Lifts, lifter, Aerial work platforms, Articulated boom lifts, articulating Manlifts, Hybrid Man Lift, electric Boom Lift, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba Industrial Area.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

## Articulated Boom Lifts - Hybrid

## رافعات سلة مفصلية - هجين

**MISTER MACHINE®**

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Articulated boom lifts (Man Lifts):** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Hybrid Technology:** Give you the choice of diesel engine supported by the machine's battery pack for when extra power is needed or electric-only mode allows zero-emission operation, making it ideal for indoor use, or for quiet, clean operation.

Access Platform Name	Articulating Boom Lift: Hybrid, 280kg, Work 28m, Jib
Maker / Model	Nifty HR28 (4x4)
Working Height	28.0 m (92 ft)
Platform Height	26.0 m (85 ft 6 in)
Horizontal outreach	19.0 m (62 ft)
Platform Length	0.9 m (2 ft 11 in)
Platform Width	2.4 m (7 ft 10 in)
Height - Stowed	2.7 m (8 ft 10 in)
Length - Transport	7.3m (23ft 11in)
Length - Travel	9.28 m (30 ft 5 in)
Overall Width	2.49 m (8 ft 2 in)
PRODUCTIVITY	
Platform capacity	280 kg
Platform occupancy	2 Person
Platform rotation	180 degrees
Vertical jib rotation	150 degrees
Drive Speed - Stowed	4.7 km/h
Drive Speed - Raised	km/h
Gradeability - Stowed	40 % (22 degrees)
Turning Radius - Outside	5.9 m (19 ft 4 in)
POWER & WEIGHT	
Engine Type	Hybrid - Battery & Diesel
Fuel Tank Capacity	
Gross Weight	14,650 kg
CERTIFICATION	
Certification Co.	Bureau Veritas / TUV

# رافعات سلة مفصلية Articulated Boom Lifts



## NOTES:

All our access platforms have foam filled tyres for safety.

Our access platforms are built to meet the highest standards of safety, reliability and are in excellent working conditions with Certified Performance.

- Keywords: Hire, Hiring, Rent, Rental, Renting, Sale, Selling, Access Platforms, Access Machines, Cherry pickers, Man Lifts, lifter, Aerial work platforms, Articulated boom lifts, articulating Manlifts, Hybrid Man Lift, electric Boom Lift, Middle East, GCC, Bahrain, Saudi Arabia, Eastern Province, Al Khobar, Al Thuqba Industrial Area.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

15



Access Platforms

# رافعات أشخاص تلسكوبية

## Telescopic Boom Lifts

### Telescopic Boom Lifts - Diesel

### رافعات أشخاص تلسكوبية - ديزل

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Telescopic boom lifts:** Give you the ability to safely work at very high attitude quickly and efficiently which saves time and money. Our Man Lifts take you right where you need to work while providing you with the capacity and height you need. Telescopic boom lifts are ideal for work that requires maximum vertical and horizontal outreach.

Access Platform Name	Telescopic Boom Lift: 227kg, Work Height 20.3m	Telescopic Boom Lift 227kg, Work Height 21.8m with Jib
Maker / Model	Genie S-60 (4x2)	Genie S-65 (4x4)
Working Height	20.3 m (66 ft)	21.8 m (71 ft)
Platform Height	18.3 m (60 ft)	19.8 m (65 ft)
Horizontal reach maximum	15.48 m (50 ft 10 in)	17.10 m
Platform Length	0.91 m (3 ft)	0.91 m (3 ft)
Platform Width	2.44 m (8 ft)	2.44 m (8 ft)
Height - Stowed	2.72 m (8 ft 11 in)	2.72 m (8 ft 11 in)
Length - Stowed	8.51 m (27 ft 11 in)	9.5 m (31 ft 2 in)
Overall Width	2.49 m (8 ft 2 in)	2.49 m (8 ft 2 in)
PRODUCTIVITY		
Platform capacity	227 kg	227 kg
Platform occupancy	2 Person	160 degrees
Platform rotation	160 degrees	135 degrees
Vertical jib rotation	135 degrees	6.4 km/h
Drive Speed - Stowed	6.4 km/h	18 m/min
Drive Speed - Raised	18 m/min	45 %
Gradeability - Stowed	30 %	2.36 m
Turning Radius - Inside	2.36 m	5.72 m
TURNING RADIUS - OUTSIDE		
Engine Type	Diesel engine	Diesel engine
Fuel Tank Capacity	132 L	132 L
Gross Weight	9,651 kg	10,445 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV



# رافعات أشخاص تلسكوبية Telescopic Boom Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

# رافعات أشخاص تلسكوبية

## Telescopic Boom Lifts

### Telescopic Boom Lifts - Diesel

### رافعات أشخاص تلسكوبية- ديزل

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Telescopic boom lifts:** Give you the ability to safely work at very high attitude quickly and efficiently which saves time and money. Our Man Lifts take you right where you need to work while providing you with the capacity and height you need. Telescopic boom lifts are ideal for work that requires maximum vertical and horizontal outreach.

Access Platform Name	Telescopic Boom Lift: 227kg, Work Height 27.9m with Jib
Maker / Model	Genie S-85 (4x4)
Working Height	27.9 m (91 ft)
Platform Height	25.9 m (85 ft)
Horizontal reach maximum	23.32 m (76 ft 6 in)
Platform Length	0.91 m (3 ft)
Platform Width	2.44 m (8 ft)
Height - Stowed	2.8 m (9 ft 2 in)
Length - Stowed	12.19 m (40 ft)
Overall Width	2.49 m (8 ft 2 in)
PRODUCTIVITY	
Platform capacity	227 kg
Platform occupancy	2 Person
Platform rotation	160 degrees
Vertical jib rotation	135 degrees
Drive Speed - Stowed	5.4 km/h
Drive Speed - Raised	18 m/min
Gradeability - Stowed	45 %
Turning Radius - Inside	3.66 m
Turning Radius - Outside	6.55 m
POWER & WEIGHT	
Engine Type	Diesel engine
Fuel Tank Capacity	132 L
Gross Weight	17,237 kg
CERTIFICATION	
Certification Co.	Bureau Veritas / TUV

# رافعات أشخاص تلسكوبية Telescopic Boom Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

19



Access Platforms

# رافعات أشخاص تلسكوبية

## Telescopic Boom Lifts

### Telescopic Boom Lifts - Diesel

### ارافعات أشخاص تلسكوبية - ديزل

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Telescopic boom lifts:** Give you the ability to safely work at very high attitude quickly and efficiently which saves time and money. Our Man Lifts take you right where you need to work while providing you with the capacity and height you need. Telescopic boom lifts are ideal for work that requires maximum vertical and horizontal outreach.

Access Platform Name	Telescopic Boom Lift 340kg, Work Height 32.5m	Telescopic Boom Lift 227kg, Work Height 40.2m with Jib
Maker / Model	Genie S-100 (4x4)	Genie S-125 (4x4)
Working Height	32.48 m (106 ft)	40.15 m (131 ft 2 in)
Platform Height	30.48 m (100 ft)	38.15 m (125 ft 2 in)
Horizontal reach maximum	22.86 m (75 ft)	24.38 m (80 ft)
Platform Length	0.91 m (3 ft)	0.91 m (3 ft)
Platform Width	2.44 m (8 ft)	2.44 m (8 ft)
Height - Stowed	3.07 m (10 ft 1 in)	3.07 m (10 ft 1 in)
Length - Stowed	13.00 m (42 ft 8 in)	14.25 m (46 ft 9 in)
Overall Width: Axle retracted	2.49 m (8 ft 2 in)	2.49 m (8 ft 2 in)
Overall Width: Axle extended	3.35 m (11 ft)	3.35 m (11 ft)
PRODUCTIVITY		
Platform capacity	340 kg	227 kg
Platform occupancy	2 Person	2 Person
Platform rotation	160 degrees	160 degrees
Vertical jib rotation	Not applicable	135 degrees
Drive Speed - Stowed	4.8 km/h	4.8 km/h
Drive Speed - Raised	18 m/min	18 m/min
Gradeability - Stowed	40 %	40 %
Turning Radius - axles extended: Inside	2.74 m	2.59 m
Turning Radius - axles extended: Outside	6.05 m	5.74 m
POWER & WEIGHT		
Engine Type	Diesel engine	Diesel engine
Fuel Tank Capacity	151 L	151 L
Gross Weight	18,008 kg	20,248 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV

# رافعات أشخاص تلسكوبية Telescopic Boom Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

21



Access Platforms

# رافعات أشخاص مقصية

## Scissor Lifts

### Scissor Lifts - Electric

### رافعات أشخاص مقصية - كهربائية

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Battery powered scissor lifts:** These machines are Low level, lightweight, compact and are fitted with non marking tyres which makes them ideal for working inside workhouses and confined spaces. This machine offers the capacity to lift upto 2 operators and are used for Cleaning, Electrical, Facilities management, Heating, ventilating & air conditioning, Mechanical engineering, Warehousing.

Access Platform Name	Scissor Lift, Battery: 227kg, Width 81cm, Work Height 9.92m	Scissor Lift, Battery: 454kg, Width 1.17m, Work Height 9.92m
Maker / Model	Genie GS-2632	Genie GS-2646
Working Height	9.92 m (32 ft)	9.92 m (32 ft)
Platform Height: maximum	7.92 m (26 ft)	7.92 m (26 ft)
Platform Height: stowed	1.16 m (3 ft 9.5 in)	1.16 m (3 ft 9.6 in)
Platform Length: outside	2.26 m (7 ft 5 in)	2.26 m (7 ft 5 in)
Platform Length: extended	3.18 m (10 ft 5 in)	3.18 m (10 ft 5 in)
Slide-out platform extension deck	91 cm (3 ft)	91 cm (3 ft)
Platform Width: outside	81 cm (2 ft 8 in)	1.15 m (3 ft 9.3 in)
Height - Stowed	2.26 m (7 ft 5 in)	2.26 m (7 ft 5 in)
Height - Stowed: rails lowered	1.91 m (6 ft 3 in)	1.91 m (6 ft 3 in)
Length - Stowed	2.44 m (8 ft)	2.44 m (8 ft)
Overall Width	81 cm (2 ft 8 in)	1.17 m (3 ft 10 in)
PRODUCTIVITY		
Maximum Number of Platform Occupants (indoor/outdoor)	2 Persons	2 Persons
Working Height	227 kg	454 kg
Platform Height: maximum	Full height	Full height
Platform Height: stowed	3.5 km/h	3.5 km/h
Platform Length: outside	0.8 km/h (13 m/minute)	0.8 km/h (13 m/minute)
Platform Length: extended	25 %	30 %
Slide-out platform extension deck	Zero	Zero
Platform Width: outside	2.13 m	2.29 m
POWER & WEIGHT		
Engine Type	24 V DC	
Fuel Tank Capacity	Four 6V 225 Ah batteries	Four 6V 225 Ah batteries
Gross Weight	1,959 kg	2,412 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV

# رافعات أشخاص مقصية Scissor Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

# رافعات أشخاص مقصية

## Scissor Lifts

### Scissor Lifts - Electric

### رافعات أشخاص مقصية - كهربائية

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at competitive hire rates. All our boom lifts are the latest models.
- **Battery Powered Scissor Lifts:** These machines are low level, lightweight, compact and are fitted with non marking tyres which makes them ideal for working inside workhouses and confined spaces. This machine offers the capacity to lift upto 3 operators and are used for cleaning, electrical, facilities management, heating, ventilating & air conditioning, mechanical engineering, warehousing.

Access Platform Name	Scissor Lift, Bat: 318kg, Width 1.17m, Work Ht.11.75m	Scissor Lift, Battery: 350kg, Width 1.19m, Work Height 13.93m
Maker / Model	Genie GS-3246	Genie GS-4047
Working Height	11.75 m (38 ft)	13.93 m (45 ft 1.5 in)
Platform Height: maximum	9.75 m (32 ft)	11.93 m (39 ft 1.5 in)
Platform Height: stowed	1.29 m (4 ft 2.75 in)	1.34 m (4 ft 5 in)
Platform Length: outside	2.26 m (7 ft 5 in)	2.26 m (7 ft 5 in)
Platform Length: extended	3.18 m (10 ft 5 in)	3.18 m (10 ft 5 in)
Slide-out platform extension deck	91 cm (3 ft)	91 cm (3 ft)
Platform Width: outside	1.15 m (3 ft 9.3 in)	1.15 m (3 ft 9.3 in)
Height - Stowed	2.39 m (7 ft 10 in)	2.54 m (8 ft 4 in)
Height - Stowed: rails lowered	1.8 m (5 ft 11 in)	1.88 m (6 ft 2 in)
Length - Stowed	2.44 m (8 ft)	2.44 m (8 ft)
Overall Width	1.17 m (3 ft 10 in)	1.19 m (3 ft 11 in)
PRODUCTIVITY		
Maximum Number of Platform Occupants	2	3 Persons
Working Height	318 kg	350 kg
Platform Height: maximum	Full height	Full height
Platform Height: stowed	3.5 km/h	3.1 km/h
Platform Length: outside	0.8 km/h (13 m/minute)	0.8 km/h (13 m/minute)
Platform Length: extended	25 %	25 %
Slide-out platform extension deck	Zero	Zero
Platform Width: outside	2.29 m	2.3 m
POWER & WEIGHT		
Engine Type	Batteries 24 V	24 V DC, 300 Ah
Fuel Tank Capacity	Four 6V 225 Ah batteries	Four 12V 150 Ah batteries
Gross Weight	3,221 kg	3,221 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV



# رافعات أشخاص مقصية Scissor Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

25



Access Platforms

# رافعات مقصية

## Scissor Lifts

### Scissor Lifts - Diesel

### رافعات مقصية - ديزل

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at Competitive Hire Rates. All our boom lifts are the latest models.
- **Diesel engine powered scissor lifts:** Are chosen for applications that require more workspace and more lifting capacities and are ideal for outdoor construction or maintenance tasks. They deliver exceptional gradeability, making these easier to maneuver through rough terrain job sites.

Access Platform Name	Rough-Terrain Scissor Lift: 680Kg, Work Height 9.9M	Scissor Lift, Diesel: 454kg, Work Height 11.9m
Maker / Model	Genie GS-2669 RT	Genie GS-3369 RT
Working Height	9.9 m (32 ft)	11.96 m (39 ft)
Platform Height: maximum	7.9 m (26 ft)	9.96 m (32 ft 8 in)
Platform Height: stowed	1.47 m (4 ft 10 in)	1.47 m (4 ft 10 in)
Platform Length: outside	2.79 m (9 ft 2 in)	2.79 m (9 ft 2 in)
Platform Length: extended	3.71 m (12 ft 2 in)	3.71 m (12 ft 2 in)
Slide-out platform extension deck	0.91 m (3 ft)	0.91 m (3 ft)
Platform Width: outside	1.6 m (5 ft 3 in)	1.6 m (5 ft 3 in)
Height - Stowed	2.59 m (8 ft 6 in)	2.59 m (8 ft 6 in)
Height - Stowed: rails lowered	1.92 m (6 ft 4 in)	1.92 m (6 ft 4 in)
Length - Stowed	3.12 m (10 ft 3 in)	3.12 m (10 ft 3 in)
Overall Width	1.75 m (5 ft 9 in)	1.75 m (5 ft 9 in)
PRODUCTIVITY		
Platform occupancy (indoor/ outdoor)	4/ 4 Persons	4/ 2 Persons
Platform capacity	680 kg	454 kg
Drive Height	Full height	Full height
Drive Speed - Stowed	5.6 km/h	5.6 km/h
Drive Speed - Raised	0.5 km/h	0.5 km/h
Gradeability - Stowed	40 %	35 %
Turning Radius - Inside	2.11 m	2.11 m
Turning Radius - Outside	4.6 m	4.6 m
POWER & WEIGHT		
Engine Type	Diesel engine	Diesel engine
Fuel Tank Capacity	38 L	38 L
Gross Weight	3,701 kg	3,882 kg
CERTIFICATION		
Certification Co.	Bureau Veritas / TUV	Bureau Veritas / TUV

# رافعات مقصية Scissor Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)

# رافعات مقصية

## Scissor Lifts

### Scissor Lifts - Diesel

### رافعات مقصية - ديزل

#### MISTER MACHINE®

- **Quality Equipment Hire:** Hiring the best performance, most reliable Access Platforms at competitive hire rates. All our boom lifts are the latest models.
- **Diesel Engine Powered Scissor Lifts:** Are chosen for applications that require more workspace and more lifting capacities and are ideal for outdoor construction or maintenance tasks. They deliver exceptional gradeability, making these easier to maneuver through rough terrain job sites.

Access Platform Name	Rough-Terrain Scissor Lift: 680kg, Work Height 18.1m
Maker / Model	Genie GS-5390 RT
Working Height	18.15 m (59 ft)
Platform Height: maximum	16.15 m (53 ft)
Platform Height: stowed	2.02 m
Platform Length: outside	3.98 m (13 ft 5 in)
Platform Length: extended	5.34 m (17 ft 6 in)
Slide-out platform extension deck	1.52 m (5 ft)
Platform Width: outside	1.83 m (6 ft)
Height - Stowed	3.15 m (10 ft 4 in)
Height - Stowed: rails lowered	2.47 m (8 ft 1 in)
Length - Stowed	4.88 m (16 ft)
Overall Width	2.29 m (7 ft 6 in)
PRODUCTIVITY	
Maximum Number of Platform Occupants	4 Persons
Platform capacity	680 kg
Drive Height	9.14 m (30 ft)
Drive Speed - Stowed	8.0 km/h
Drive Speed - Raised	1.1 km/h
Gradeability - Stowed	40 %
Turning Radius - Inside	2.16 m
Turning Radius - Outside	5.33 m
POWER & WEIGHT	
Engine Type	Diesel engine
Fuel Tank Capacity	113.6 L
Gross Weight	8,002 kg
CERTIFICATION	
Certification Co.	Bureau Veritas / TUV

# رافعات مقصية Scissor Lifts



## SAFETY NOTES:

- All Our Access Platforms Have Foam Filled Tyres For Safety.
- Our Access Platforms are built to meet the highest standards of safety and reliability and are in excellent working conditions with Certified Performance.

Please call: 055 733 3875, 055 853 3354  
email: [awal@mister-machine.com](mailto:awal@mister-machine.com) - website: [www.mister-machine.com](http://www.mister-machine.com)





## KINGDOM OF BAHRAIN

### CONTACT DETAILS

#### ACCESS PLATFORMS

+973-17708177, 17705052

#### FORKLIFTS

+973-17708177, 17708170

#### GENERATORS AND COMPRESSORS

+973-17708160, 17705059

#### HEAVY EQUIPMENT

+973-17708177, 17705052

#### LIGHT EQUIPMENT

+973-17705058, 17240166, 17345020

#### FORMWORK AND SCAFFOLDING

+973-17708168

#### PORTABLE CABINS

+973-17708168

#### RAW MATERIALS

+973-17705085, 17708173

#### SKIPS

+973-17705061, 39797404

#### TRANSPORTATION AND LOGISTICS

+973-17705069

#### QUALITY USED EQUIPMENT FOR SALE

+973 39757554, 17708173, +966 55 8884575

## مملكة البحرين

### بيانات الاتصال

#### الرافعات الشخصية المتنقلة

+973 17708177, 17705052

#### الرافعات الشوكية

+973 17708177, 17708170

#### المولدات الكهربائية والضواغط

+973 17708160, 17705059

#### المعدات الثقيلة

+973 17708177, 17705052

#### المعدات الخفيفة

+973 17705058, 17240166, 17345020

#### القوالب والسقالات

+973 17708168

#### كباين متنقلة

+973 17708168

#### المواد الخام

+973 17705085, 17708173

#### حاويات الأنقاض


+973 17705061 - 39797404

#### النقل والخدمات اللوجستية

+973 17705069

#### بيع المعدات المستعملة الممتازة

+973 39757554, 17708173, +966 55 8884575



## BAHRAIN BRANCHES

### Maameer

Tel: +973 17708160, 17708168

Fax : +97317700086

Location: Bldg. 541, Rd.3417 Blk. 634, Maameer Industrial Area

GPS Map: 26.1267, 50.6050

### Ras Zuwayed

Tel: +973 17705070, +973 17708177

Location: Bldg. 49, Ave. 52, Blk. 952, Ras Zuwayed

GPS Map: 26.0792, 50.6238

### Manama

Tel: +973 17240166

Location: Shop 313, R. 336, Bll. 311, Manama

GPS Map: 26.2226, 50.5711

## EQUIPMENT DIVISIONS (SAUDI ARABIA)

### ACCESS PLATFORMS

- Articulated Boom Lifts/ Man Lifts
- Telescopic Boom Lifts/ Man Lifts
- Scissor Lifts (Diesel/ Battery)

### FORKLIFTS

- Forklifts (Diesel/ Battery/ LPG)
- Reach Trucks
- Telescopic Handlers (Loadall)

### GENERATORS AND COMPRESSORS

- Generators (1 Phase/ 3 Phase)
- Air Compressors - Diesel
- Portable Fuel Tanks
- Lighting Towers

### HEAVY EQUIPMENT

- Compaction/ Rollers
- Cranes, Truck Cranes
- Trucks and Trailers

### TRANSPORTATION AND LOGISTICS

- Transport of Equipment, and General Cargo
- Transport of Raw Materials

### QUALITY USED EQUIPMENT

- Sale of Used Power Tools
- Generators
- Compressors
- Forklifts
- Heavy Equipment
- Skips
- Refuse Compactor Truck



## أقسام المعدات (السعودية)

### الرافعات الشخصية المتنقلة

- رافعات سلة مفصليّة
- رافعات سلة تلسكوبية
- الرافعات المقصية (ديزل / بطارية)

### الرافعات الشوكية

- الرافعات الشوكية (ديزل، بطارية، غاز)
- رافعات المخازن الشوكية
- رافعات المناولة التلسكوبية

### المولدات والضاطعات

- مولدات كهربائية 1 فيز، 3 فيز
- ضاطعات الهواء "كمبريسرات"
- خزانات ديزل متنقلة
- أبراج اللانارة

### المعدات الثقيلة

- مدارج الطرق
- الرافعات المتنقلة
- القاطرات والمقطورات

### النقل والخدمات اللوجستية

- نقل المعدات الثقيلة، وجميع أنواع البضائع
- نقل الدفان البري

### بيع المعدات المستعملة الممتازة

- بيع معدات كهربائية
- رافعات شخصية
- مولدات كهرباء
- رافعات شوكية
- معدات ثقيلة
- حاويات الأنقاض
- شاحنات كبس المخلفات

